

UNIVERSITI KUALA LUMPUR BUSINESS SCHOOL

FINAL EXAMINATION OCTOBER 2024 SEMESTER

COURSE CODE

: EGB10603

COURSE NAME

: ECONOMIC STATISTICS 2

PROGRAMME NAME

: BACHELOR OF SCIENCE (HONS) IN ANALYTICAL

ECONOMICS

DATE

: 6 FEBRUARY 2025

TIME

: 2.00 PM - 5.00 PM

DURATION

: 3 HOURS

INSTRUCTIONS TO CANDIDATES

- 1. Please CAREFULLY read the instructions given in the question paper.
- 2. This question paper has information printed on both sides of the paper.
- 3. This question paper consists of FOUR (4) Questions.
- 4. Answer ALL questions.
- 5. Please write your answers on the answer booklet provided.
- 6. All questions must be answered in **English** (any other language is not allowed).
- 7. This question paper must not be removed from the examination hall.

THERE ARE FIVE (5) PAGES OF QUESTIONS, INCLUDING THIS PAGE.

(Total: 100 marks)

Question 1

(a) A survey found that the average hotel room rate in Town A is RM 88.42 and the average room rate in Town B is RM 80.61. Assume that the data were obtained from two samples of 50 hotels each and that the standard deviations of the populations are RM 5.62 and RM 4.83, respectively. At $\alpha = 0.05$, can it be concluded that there is a significant difference in the rates?

(7 marks)

(b) A researcher claims that the mean of the salaries of elementary school teachers is greater than the mean of the salaries of secondary school teachers in a large school district. The mean of the salaries of a sample of 26 elementary school teachers is RM 48,256, and the sample standard deviation is RM3,912.40. The mean of the salaries of a sample of 24 secondary school teachers is RM 45,633. The standard deviation is RM 5,533. At $\alpha = 0.05$, can it be concluded that the mean of the salaries of the elementary school teachers is greater than the mean of the salaries of the secondary school teachers?

(7 marks)

(c) A sample of non-English majors at a selected college was used in a study to see if the student retained more from reading a 19th-century novel or by watching it in DVD form. Each student was assigned one novel to read and a different one to watch, and then they were given a 20-point written quiz on each novel. The test results are shown below. At α = 0.05, can it be concluded that the book scores are higher than the DVD scores?

Table 1

Book	90	80	90	75	80	90	84
DVD	85	72	80	80	70	75	80

(11 marks)

Question 2

(a) In the nursing home study mentioned in the chapter-opening Statistics Today, the researchers found that 12 out of 34 small nursing homes had a resident vaccination rate of less than 80%, while 17 out of 24 large nursing homes had a vaccination rate of less than 80%. At α = 0.05, test the claim that there is no difference in the proportions of the small and large nursing homes with a resident vaccination rate of less than 80%. (6 marks)

(b) A children's raincoat manufacturer wants to know whether customers prefer any specific color over other color in children's raincoats. He selects a random sample of 50 raincoats sold and notes the color. The data are shown here. At α = 0.10, is there a color preference for raincoats?

Table 2

Color	Yellow	Red	Green	Blue
No. of Sold	17	13	8	12

(6 marks)

(c) The following contingency table shows a random sample of 321 fatally injured passenger vehicle drivers by age and gender. The expected frequencies are displayed in parentheses. At $\alpha = 0.05$, can you conclude that the drivers' ages are related to gender in such accidents.

Table 3

Gender/ Age	16 - 20	21 - 30	31 - 40	41 - 50	51 - 60	61 and older	Total
Male	32	51	52	43	28	10	216
Female	13	22	33	21	10	6	105
Total	45	73	85	64	38	16	321

(13 marks)

Question 3

(a) A medical researcher wants to determine whether there is a difference in the mean length of time it takes three types of pain relievers to provide relief from headache pain. Several headache sufferers are randomly selected and given one of the three medications. Each headache sufferer records the time (in minutes) it takes the medication to begin working. The results are shown on the next slide. At $\alpha = 0.01$, can you conclude that the mean times are different? Assume that each population of relief times is normally distributed and that the population variances are equal.

Table 4 **Medication 1 Medication 2 Medication 3** 16 12 14 15 14 17 17 21 20 12 15 15 19 $\overline{x}_3 = 16.5$ $\overline{x}_1 = 14$ $\overline{x}_2 = 17$ $s_1^2 = 6$ $s_2^2 = 8.5$ $s_3^2 = 7$

(13 marks)

(b) Tests were conducted to compare three top brands of golf balls for mean distance travelled when struck by a driver. A robotic golfer was employed with a driver to hit a random sample of 5 golf balls of each brand in a random sequence. Distance travelled, in yards, for each hit is shown in the table below.

Table 5

Brand A	Brand B	Brand C
251.2	263.2	269.7
245.1	262.9	263.2
248.0	265.0	277.5
251.1	254.5	270.5
260.5	264.3	267.4
$\overline{x}_1 = 251.18$	$\bar{x}_2 = 261.98$	$\overline{x}_3 = 269.66$
$s_1^2 = 33.487$	$s_2^2 = 261.98$	$s_3^2 = 27.253$

At α = 0.05, can you conclude that the mean distance travelled are different? Assume that each population is normally distributed and that the population variances are equal.

(12 marks)

Question 4

For a sample of 8 employees, a personal director has collected the following data on ownership of companies stock versus years with the company.

	Years	Shares
1.	6	300
2.	12	408
3.	14	560
4.	6	252
5.	9	288
6.	13	650
7.	15	630
8.	9	522

(a) Plot a complete linear regression diagram with years with the firm as independent variable. State the X and Y axis and sketch the straight line to represent the regression model.

(6 marks)

- (b) Explain the relationship between the two variables in the diagram developed in part (a) (2 marks)
- (c) Use the least squares method to compute the estimated regression equation. (12 marks)
- (d) Describe the interpretation for the slope of the estimated regression equation.

 (2 marks)
- (e) For an example who has been with the firm 10 years, calculate the number of shares of stock owned?

(3 marks)

END OF EXAMINATION PAPER

FORMULAS AND STATISTICAL TABLE

CONFIDENT INTERVAL

$$\overline{X} - Z_{\frac{\alpha}{2}} \left(\frac{\sigma}{\sqrt{n}} \right) < \mu < \overline{X} + Z_{\frac{\alpha}{2}} \left(\frac{\sigma}{\sqrt{n}} \right)$$

$$n = \left(\frac{Z_{\frac{\alpha}{2}} \cdot \sigma}{E} \right)^{2}$$

$$\overline{X} - t_{\frac{\alpha}{2}} \left(\frac{s}{\sqrt{n}} \right) < \mu < \overline{X} + t_{\frac{\alpha}{2}} \left(\frac{s}{\sqrt{n}} \right)$$

$$\hat{p} = \frac{X}{n}, \qquad \hat{q} = 1 - \hat{p}$$

$$\hat{p} - Z_{\frac{\alpha}{2}} \sqrt{\frac{\hat{p}\hat{q}}{n}} < \mu < \hat{p} + Z_{\frac{\alpha}{2}} \sqrt{\frac{\hat{p}\hat{q}}{n}}$$

$$n = \hat{p}\hat{q} \left(\frac{Z_{\frac{\alpha}{2}}}{E} \right)^{2}$$

$$\sqrt{\frac{(n-1)s^{2}}{\chi_{right}^{2}}} < \sigma < \sqrt{\frac{(n-1)s^{2}}{\chi_{left}^{2}}}, \qquad d.f = n-1$$

HYPOTHESIS TESTING AND DISTRIBUTION

$$t = \frac{\overline{X} - \mu}{\frac{s}{\sqrt{n}}}$$

$$t = \frac{\overline{X}_d - \mu_d}{\frac{s_d}{\sqrt{n}}}$$

$$s_p = \sqrt{\frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}}$$

$$t = \frac{\overline{X}_1 - \overline{X}_2}{s_p \sqrt{\frac{1}{n_1} + \frac{1}{n_2}}} , \quad z = \frac{\hat{p} - p}{\sqrt{\frac{pq}{n}}}$$

$$\chi^{2} = \sum \frac{(O - E)^{2}}{E}$$
$$\chi^{2} = \frac{(n - 1)s^{2}}{\sigma^{2}}$$

HYPOTHESIS TEST TWO POPULATION
$$z = \frac{(\overline{X}_1 - \overline{X}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}}$$

$$(\overline{X}_1 - \overline{X}_2) - Z_{\alpha/2} \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}} < \mu_1 - \mu_2 < (\overline{X}_1 - \overline{X}_2) + Z_{\alpha/2} \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

$$F = \frac{s_1^2}{s_2^2}$$

$$t = \frac{(\overline{X}_1 - \overline{X}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$$

$$t = \frac{(\overline{X}_1 - \overline{X}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}} \sqrt{\frac{1}{n_1} + \frac{1}{n_2}}$$

$$z = \frac{(\hat{p}_1 - \hat{p}_2) - (p_1 - p_2)}{\sqrt{\hat{p} \, q} \left(\frac{1}{n_1} + \frac{1}{n_2}\right)} \quad with$$

$$\hat{p}_1 = \frac{X_1}{n_1}, \hat{p}_2 = \frac{X_2}{n_2} \quad and \quad \hat{p} = \frac{X_1 + X_2}{n_1 + n_2}$$

VARIANCE ANALYSIS ONE WAY

$$S^{2}_{B} = \frac{\sum n_{i} (\overline{x}_{i} - \overline{x}_{GM})^{2}}{k - 1}$$
$$\overline{x}_{GM} = \frac{\sum X}{N}$$

$$S^{2}_{W} = \frac{\sum (n_{i} - 1)s_{i}^{2}}{\sum (n_{i} - 1)}$$

$$MS_{B} = \frac{S^{2}_{B}}{k - 1}$$

$$MS_{W} = \frac{S^{2}_{W}}{N - k}$$

$$F = \frac{S^{2}_{W}}{S^{2}_{W}} = \frac{MS_{B}}{MS_{W}}$$

$$d.f.N = k - 1$$

$$d.f.D = N - k$$

REGRESSION AND CORRELATION

$$r = \frac{n(\sum xy) - (\sum x)(\sum y)}{\sqrt{\left[n(\sum x^2) - (\sum x)^2\right]\left[n(\sum y^2) - (\sum y)^2\right]}}$$

$$t = r\sqrt{\frac{n-2}{1-r^2}}$$

$$a = \frac{\left(\sum y\right)\left(\sum x^2\right) - \left(\sum x\right)\left(\sum xy\right)}{n\left(\sum x^2\right) - \left(\sum x\right)^2}$$

$$b = \frac{n\left(\sum xy\right) - \left(\sum x\right)\left(\sum y\right)}{n\left(\sum x^2\right) - \left(\sum x\right)^2}$$

	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	1443	.1480	.1517
,4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
1.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
.8	.2881	.2910	2939	.2967	.2995	.3023	.3051	.3078	.3106	.313
1.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	,3340	.3365	.338
.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.362
.1	.3643	,3665	3686	.3708	.3729	.3749	.3770	3790	.3810	.383
.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.401
.3	.4032	.4049	,4066	.4082	.4099	.4115	,4131	.4147	.4162	.417
.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.431
.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	444
1.6	.4452	.4463	,4474	.4484	.4495	,4505	.4515	.4525	.4535	.454
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.463
1.8	.4641	4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.470
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.476
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.481
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.485
2.2	.4861	4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.489
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.49
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.49
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	,4949	.4951	.49
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.49
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.49
2.8	.4974	4975	.4976	.4977	.4977	.4978	.4979	4979	.4980	.49
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.49
3.0	.4987	4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.49

Note: Use 0.4999 for z values above 3.09.


Source: Frederick Mosteller and Robert E. K. Rourke, Sturdy Statistics, Table A-1 (Reading, Mass.: Addison-Wesley, 1973). Reprinted with permission of the copyright owners.


0 7

able F	The t Distribution						E SANCES
	Confidence intervals	50%	80%	90%	95%	98%	99%
	One tail, a	0.25	0.10	0.05	0.025	0.01	0.005
d.f.	Two tails, α	0.50	0.20	0.10	0.05	0.02	0.01
1		1.000	3.078	6.314	12.706	31.821	63.657
2		.816	1.886	2.920	4.303	6.965	9.925
3		.765	1.638	2.353	3.182	4.541	5.841
4		.741	1.533	2.132	2.776	3.747	4.604
5		.727	1,476	2.015	2.571	3.365	4.032
6		.718	1.440	1.943	2.447	3.143	3.707
7		.711	1.415	1.895	2.365	2.998	3.499
8		.706	1.397	1.860	2.306	2.896	3.355
9		.703	1.383	1.833	2,262	2.821	3.250
10		.700	1.372	1.812	2.228	2,764	3.169
11	2000 (24) 2000 (24)	.697	1.363	1.796	2.201	2.718	3.10
12		.695	1.356	1.782	2.179	2.681	3.05
13		.694	1.350	1.771	2.160	2.650	3.01
14		.692	1.345	1.761	2.145	2.624	2.97
15		.691	1.341	1.753	2.131	2.602	2.94
16		.690	1.337	1.746	2.120	2.583	2.92
17		.689	1.333	1.740	2.110	2.567	2.89
18		.688	1.330	1.734	2.101	2.552	2.87
19		.688	1.328	1.729	2.093	2.539	2.86
20		.687	1.325	1.725	2.086	2.528	2.84
21		,686	1,323	1.721	2.080	2.518	2.83
22		.686	1.321	1.717	2.074	2.508	2.81
23		.685	1.319	1.714	2.069	2.500	2.80
24		.685	1.318	1.711	2.064	2.492	2.79
25		.684	1.316	1,708	2.060	2.485	2.78
26		.684	1.315	1.706	2.056	2.479	2.7
27		.684	1.314	1.703	2.052	2.473	2.7
28		.683	1.313	1.701	2.048	2,467	2.70
(z) 00		.674	1.282	1.645 ^b	1.960	2.326 ^c	2,5

"This value has been rounded to 1.28 in the textbook.

Source: Adapted from W. H. Beyer, *Handbook of Tables for Probability* and *Statistics*, 2nd ed., CRC Press, Boca Raton, Fla., 1986. Reprinted with permission.






^bThis value has been rounded to 1.65 in the textbook.

This value has been rounded to 2.33 in the textbook.

thThis value has been rounded to 2.58 in the textbook.

Degrees of						α				
reedom	0.995	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01	0.00
1	<u>-</u> .		0.001	0.004	0.016	2,706	3.841	5.024	6.635	7.87
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9,210	10.59
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.83
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.86
5	0.412	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086	16.75
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.54
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.27
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.95
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.58
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.18
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.75
12	3.074	3,571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.29
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.8
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.3
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.80
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.2
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.7
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.1
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.5
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.9
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.4
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.7
23	9.262	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44,1
24	9.886	10,856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.5
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46,9
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.2
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963	49.6
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.9
29	13.121	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.3
30	13.787	14.954	16.791	18.493	20.599	40,256	43.773	46.979	50.892	53.6
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.7
50	27.991	29,707	32.357	34.764	37.689	63,167	67.505	71.420	76.154	79.4
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.9
70	43.275	45.442	48,758	51.739	55.329	85.527	90.531	95.023	100.425	104.2
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112,329	116.3
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.2
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.1

Source: Donald B. Owen, *Handbook of Statistics Tables*, The Chi-Square Distribution Table, © 1962 by Addison-Wesley Publishing Company, Inc. Copyright renewal © 1990. Reprinted by permission of Pearson Education, Inc.



d.f.D.s										a = 0.005									
Degrees of			11.75					d.C.	d.f.N.: Degrees of freedom, numerator	of freedor	m, numeri	ator							
rreedom, denominator	-	2	3	4	w	9	7	œ	6	9	13	15	20	77	39	9	09	120	8
-	16,211	20,000	21,615	22,500	23,056	23,437	23,715	23,925	24,091	24,224	24,426	24,630	24,836	24,940	25,044	25.148	25,253	25,359	25,465
ei	198.5	199.0	199.2	199.2	199.3	199.3	_		4	_	_		199.4	16	199.5	199.3	2.661	199.5	199.5
6	55.55	49.80	47.47	46.19	45.39	44.84	44,43	44.13	43.88	43.69	43.39	43.08	42.78	42.62	42.47	42.31	42.15	41.99	41.83
•	31.33	26.28	24.26	23,15	22.46	21.97	21.62	21.35	21.14	20.97	20.70	20,44	20.17	20.03	19.89	19,75	19.61	19.47	19.32
2	22.78	18.31	16.53	15,56	14.94	14.51	14.20	13.96	13.77	13.62	13.38	13.15	12.90	12.78	12.66	12.53	12.40	12.27	12.14
9	18.63	12.51	12,92	12,03	11.46	11.07	10,79	10.57	10.39	10.25	10.03	18'6	9.59	9,47	936	9.24	9.12	9.00	8.88
7	16.24	12.40	10.88	10.05	9.52	91.6	8.89	89.8	8.51	8:38	80.78	7.97	7.75	7.65	7.53	7.42	7.31	7.19	7.08
œ	14.69	11.04	9.60	90 80	8.30	7,95	697	7.50	7.34	7.21	7.01	6.81	19:9	6.50	6.40	6.29	6.18	90'9	5.95
6	13,61	10.11	8.72	7.96	7,47	7.13	6.88	69'9	6.54	6.42	6.23	6.03	5.83	5.73	5.62	5.52	5.41	5.30	5.19
91	12.83	9.43	8.08	7.34	6.87	6.54	0.30	6.12	5.97	5.85	5.66	5,47	5.27	5,17	5.07	4.97	4.86	4.75	4.64
u	12.23	8.91	7,60	6.88	6.42	6.10	5.86	5.68	5.54	5.42	5.24	5.05	4.86	4.76	4.65	4.55	4,44	¥.4	4.23
12	11.75	8.51		6.52	6.07	5.76	5.52	535	5.20	5.09	491	4.72	4.53	4.43	433	423	4.12	4.01	3.90
13	11.97	8.19	NT.	6.23	5.79	5,48	\$25	5.08	4.94	4.82	4.64	4,46	427	457	4.07	3,97	3.87	3.76	3.65
11	11.06	7.92		90.9	5.56	5.26	5.03	4.86	4.72	4.60	4,43	4.25	4.06	3.96	3.86	3.76	3,66	3.55	3,44
15	10,80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42	4.25	4.07	3.88	3.79	3.69	3.58	3,48	3.37	3,26
91	10.58	7.51	6.30	5.64	52	491	4.69	4.52	438	4.27	4.10	3.92	3.73	3,64	3,54	3,44	3.33	3.22	3.11
17	10.38	7.35	6.16	5.50	5.07	4.78	4.56	439	425	¥.	3.97	3.79	3.61	3.51	3,41	331	3.21	3.10	2,98
<u>«</u>	10.22	721	603	5.37	4,96	4.66	4.44	4.28	4.14	4.03	3.86	3.68	3.50	3,40	3.30	3.20	3,10	2.99	2.87
19	10,07	7.00	5,92	5.27	4.85	4.56	#3#	4.18	404	3.93	3.76	3.59	340	3,31	3.21	3.11	3,00	2,89	2.78
70	9.94	66'9	5.82	5.17	4.76	447	426	4.09	3.96	3.85	3.68	3.50	3.32	3,22	3.12	3.02	2.92	2.81	2.69
21	9,83	68'9	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77	3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.61
13	9.73	6.81	5.65	5,02	4,61	4.32	7	3.94	3.81	3.70	3.54	3.36	3.18	3.08	2.98	2.88	2.77	2,66	2.55
23	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3,88	3.75	3.64	3,47	3,30	3.12	3.02	2,92	2.82	2.71	2.60	2,48
72	9.55	99:9	5,52	4.89	4.49	4.20	3,99	3,83	3.69	3,59	3,42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.43
22	9.48	099	5.46	4.84		4,15	3.94	3.78	3.64	354	3.37	3.20	3.01	2.02	2.82	2.72	2.61	2.50	2,38
36	9,41	6.54	5.41	62.†	438	4.10	3.89	3.73	3.60	3.49	3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.33
Z,	9.34	649	5.36	4.74		4.06	3.85	3.69	3.56	3.45	3.28	3.11	2.93	2.83	2.73	2.63	2.52	2,41	225
æ	9.28	6,44	5.32	4.70	430	4.02	3.81	3.65	3.52	341	3.25	3.07	2.89	2.79	2.69	2.59	2.48	2,37	2,29
29	9.23	6.40	5.28	4.66	4,26	3.98	3.77	3.61	3.48	3.38	3.21	3.04	2.86	2.76	2,66	2.56	2,45	2.33	2.24
30	9.18	6.35	5.24	4,62	4.23	3.95	3.74	3.58	3.45	3,7	3.18	3.01	2.82	2.73	2.63	2.52	2,42	2,30	2.18
40	8.83	20'9	4,98	4.37	3.99	3.71	3.51	335	3.22	3.12	2.95	2.78	2,60	2.50	2.40	230	2.18	2.06	1.93
8	8.49	5.79	473	4,14	3.76	3.49	3.29	3.13	3.01	2,90	2.74	2.57	2.39	2.29	2.19	2.08	F.96	1.83	1.69
120	90 90	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	17.1	2.54	2.37	2.19	2.09	1.98	1.87	1.75	197	1,43
**************************************														The State of the S			The second secon	200000000000000000000000000000000000000	

1 2 3 4 5 6 7 8 9 10 12 15 30 314 30 40 40 120 40 40 40 40 40 40 40										3	$\alpha = 0.01$									
Mary	Pegrees of								d.f.N.	: Degrees	of freedon	ı, numera	ior							
Mary	freedom,	-	2	F	-	to	9		æ	6	10	.12	15	20	77	8	9	99	120	8
Marie Mari							0505	40.16	5087	6000	6056	6106	6157	6209	6235	6261	6287	6313	6339	9969
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	1	4052	4999.5	540.3	5295	5/04	2839	25.00	700	00 30	00.00	00.42	99.43	99,45	99,46	99.47	99.47	99,48	99.49	99.50
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	7	98.50	90'66	50.17	39.73	DC-66	60.00	00.64			44.43	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	3	34,12	30.82	29.46	28.71	28.24	16.72	27.07	64.42	8	7	7	000		13 00	13.61	11.75	13.65	13.56	13.46
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	Þ	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14,80	14.66	14.55	14,37	14.20	20.4	200	00.00	90.0	00.0	0 11	600
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	•	16.26	13.27	12.06	11.39	16.01	19:01	10.46	10,29	10.16	10.05	68'6	9.72	9.55	1	8	67'6	7.50	11.	9
1.25 1.55		3,00	0001	0.78	5 0	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7,56	7.40	731	723	7.14	907	76.0	0.88
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	٥,		22.0	97.0	2.85	7.46	7.10	06 9	189	6.72	6.62	6.47	6.31	91.9	6,07	5.99	5,91	5.82	5.74	5,65
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		G ,		6 1	101		14.9	6.19	603	5.01	5.81	2.67	5.52	5,36	5,28	5.20	5.12	5.03	4.95	4.86
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	œ	11.26	69%	60'					27.2	4.25	40.5	-15	4.96	4.81	4.73	4.65	4.57	4.48	4,40	4.3
1004 755 557 559	6	10.56	8.02	66.0	0.42	970	0.0	000	90.0	10)	58 F	171	4.56	4.41	4.33	4.25	4.17	4.08	4,00	3.91
9.65 (7.2) 6.22 (8.6) (8	0	10.04	7.56	6.55	5.09	đ.	6.5	20.20	3		3	U) E	4.05	4.10	4.02	3,94	3.86	3.78	3.69	3,60
9.33 6.99 5.59 5.40 4.50 <th< td=""><td>Ξ</td><td>9.65</td><td>7.21</td><td>6.22</td><td>5.67</td><td>5.32</td><td>5.07</td><td>4.89</td><td>4,74</td><td>+0+</td><td></td><td></td><td></td><td>306</td><td>31</td><td>170</td><td>198</td><td>3.54</td><td>3.45</td><td>3.36</td></th<>	Ξ	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4,74	+0+				306	31	170	198	3.54	3.45	3.36
8.05 6.51 5.56 5.04 4.06 4.02 4.44 4.10 4.10 3.06 3.82 1.00 5.00 3.00 1.00 1.00 1.00 1.00 1.00 1.00 1	21	9,33	6.93	5.95	5.41	90%	4.82	4.64	4.50	4.30	4.30	4.10	10. 10.	3.00					1.05	117
8.66 6.51 5.56 5.64 4.66 4.46 4.13 4.14 4.03 3.89 3.66 3.57 3.43 3.45 3.47 3.45 3.47 3.45 3.47 3.45 3.47 3.45 3.47 3.45 3.47 3.45 3.47 3.45 3.47 <th< td=""><td>**</td><td>6.07</td><td>6.70</td><td>5.74</td><td>5.21</td><td>4.86</td><td>4.62</td><td>4,44</td><td>4.30</td><td>4.19</td><td>4,10</td><td>3,96</td><td>3.82</td><td>3.66</td><td>66.6</td><td>2</td><td>7</td><td></td><td></td><td>000</td></th<>	**	6.07	6.70	5.74	5.21	4.86	4.62	4,44	4.30	4.19	4,10	3,96	3.82	3.66	66.6	2	7			000
8.65 6.35 6.42 4.35 4.35 4.36 4.35 4.14 4.00 3.89 3.80 3.67 3.37 3.37 3.37 3.37 3.37 3.37 3.37		8.86	15.9	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3,66	3.5	3,43	3.35	2,42	916		
8.35 6.01 5.02 4.77 4.44 4.00 4.03 3.78 3.69 3.55 3.44 3.26 4.73 3.49 3.78 3.64 3.51 3.16 5.03 2.03 <th< td=""><td></td><td>03 6</td><td>76.3</td><td>5.0</td><td>08 P</td><td>4.56</td><td>4.32</td><td>4.14</td><td>4.00</td><td>3.89</td><td>3.80</td><td>3.67</td><td>3.52</td><td>3.37</td><td>3,29</td><td>3.21</td><td>3,13</td><td>3.05</td><td>967</td><td>197</td></th<>		03 6	76.3	5.0	08 P	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3,29	3.21	3,13	3.05	967	197
8.02 6.01 518 407 4.34 4.10 8.64 3.79 3.66 3.51 3.74 3.24 3.00 2.02 2.83 2.84 8.29 8.20 6.01 8.64 8.20 8.20 8.20 8.20 8.20 8.20 8.20 8.20		0 23	7	4 30	177	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.4	3.26	3.18	3.10	3.02	2.93	2.84	ì
8.19	0 !	0.00	1 5	1 2	19	P 8	4.10	193	3.79	3,68	3.59	3,46	331	3.16	3.08	3.00	2.92	2.83	2.75	2.65
R.S. 5.01 5.02 5.03 5.03 5.03 5.03 5.03 5.03 5.15 5.04 5.15 5.00 2.02 2.84 2.76 2.07 8.10 5.83 4.94 4.47 4.10 3.87 3.76 3.75 3.76 3.76 3.77 3.77 3.78 2.89 2.74 2.78 3.78 3.78 3.78 3.78 3.78 3.78 3.78 3.78 3.78 2.78 2.78 2.78 2.78 2.78 2.78 2.78 2.78 2.78 2.	/	0.40	I 8	6.00	100	30.7	01	187	3.71	3.60	3.51	337	323	3.08	3.00	2,92	3.85	2.75	2.66	2.57
8.18 5.55 5.40 4.41 4.43 4.10 3.87 3.70 3.37 3.23 3.09 2.04 2.16 2.76 2.07 2.01 2.01 2.01 2.01 2.01 2.02 2.02 2.02 2.03 2.03 2.88 2.80 2.75 2.07 2.07 2.01 2.02 2.02 2.02 2.02 2.02 2.03 2.02 2.02 2.02 2.03 2.03 2.03 2.03 2.03 2.03 2.03 2.03 2.03 2.03 2.04 2.05 2.04 3.01 3.03 3.03 2.03 2.03 2.04 2.05 2.04 2.05 2.04 2.05 2.05 2.04 2.05 2.05 2.03 <th< td=""><td>99</td><td>6.00</td><td>0.00</td><td>00.0</td><td>100</td><td>1</td><td>10.</td><td>1.17</td><td>3.63</td><td>3.52</td><td>3.43</td><td>3.30</td><td>3.15</td><td>3.00</td><td>2.92</td><td>2.84</td><td>2.76</td><td>2.67</td><td>2.58</td><td>2.49</td></th<>	99	6.00	0.00	00.0	100	1	10.	1.17	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
8.10 5.83 4.87 4.43 4.04 3.81 3.64 3.51 3.10 3.24 3.12 2.98 2.83 2.75 2.67 2.56 2.50 2.40 2.40 3.81 3.64 3.51 3.10 3.24 3.12 2.98 2.83 2.75 2.67 2.58 2.40 2.40 3.10 3.54 3.41 3.40 3.21 3.40 2.83 2.79 2.70 2.60 2.58 2.40 2.40 2.40 3.41 3.42 3.42 3.43 3.42 3.43 3.42 3.43 3.42 3.44 3.44	6)	oc zó	666	100	2 :	f	101	 C	9. t	3.46	3.37	3.23	3.09	2,04	2.86	2.78	2.69	2.61	2.52	74
802 5.78 4.81 4.31 4.00 5.00 5.75 5.20 5.345 5.35 5.20 5.12 2.98 2.83 2.75 2.07 2.58 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50	a	2	2	<u> </u>	0 1	2	0.0	164	¥	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2,46	2,36
788 5.67 4.82 4.20 5.74 4.82 2.74 2.05 2.58 2.45	17	8,02	9.5	2		5 6	3.0	9 .	7.45	3.35	3.26	3.12	2.98	2.83	2,75	2.67	2.58	250	2.40	2.31
788 5.00 4.10 4.20 5.74 1.10 2.00 2.89 2.74 2.60 2.88 2.40 2.40 7.72 5.51 4.72 4.22 3.90 3.25 3.13 2.99 2.85 2.70 2.62 2.51 2.40 2.4	17	7.95	7/6	78'5	ĝ :		1.5	150	77	4.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
782 561 4,12 4,42 570 530 530 236 237 246 236 236 236 237 246 236 246 236 236 237 246 236 246 236 247 249 </td <td>33</td> <td>88.</td> <td>9.00</td> <td>9</td> <td>9 9</td> <td>ţ ş</td> <td>Į,</td> <td>2.50</td> <td>X.</td> <td>126</td> <td>3.17</td> <td>3.03</td> <td>2.89</td> <td>2.74</td> <td>2,66</td> <td>2.58</td> <td>2.49</td> <td>240</td> <td>2.31</td> <td>2.2</td>	33	88.	9.00	9	9 9	ţ ş	Į,	2.50	X.	126	3.17	3.03	2.89	2.74	2,66	2.58	2.49	240	2.31	2.2
777 5.57 4.08 4.18 3.09 2.96 2.81 2.66 2.88 2.80 2.33 2.78 2.05 2.29	5 5	7.87	3.0	3 (200	0.4	7	\$	\$ 33	1.13	06 0	2.85	2.70	2.62	2.54	2.45	2.36	2,27	2.1
7772 5.53 4,644 4,114 3.82 3.54 3.15 3,06 2.93 2.78 2.63 2.55 2.44 2.29 7.64 3.54 4,60 4,11 3.78 3.56 3.15 3,06 2.93 2.78 2.60 2.52 2.44 2.29 7.64 3.54 4,07 4,07 3.73 3.20 3.02 2.78 2.60 2.52 2.44 2.29 7.66 3.54 4,07 3.73 3.20 3.00 2.87 2.77 2.49 2.41 2.33 2.20 7.56 5.39 4.51 3.40 3.47 3.40 2.89 2.80 2.84 2.70 2.55 2.47 2.39 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.23 2.24 2.23 2.24 2.23 2.20 2.21 2.23 2.21 2.23 2.21 2.23 2.24 2.23	25	LT.T	5.57	4.08	8	2.83	000		90.4	2.10	3.00	396	×	2.66	2.58	2.50	2.42	233	2.23	2.13
7.68 5.49 4.60 4.11 3.78 3.50 3.40 3.12 3.00 2.90 2.75 2.60 2.52 2.44 2.33 2.20 7.64 5.45 4.57 4.07 3.75 3.33 3.30 3.00 3.00 2.75 2.60 2.52 2.44 2.33 2.20 7.60 5.42 4.54 4.04 4.73 3.50 3.30 3.00 2.87 2.77 2.49 2.41 2.33 2.20 7.56 5.39 4.51 4.03 3.47 3.30 3.07 2.89 2.89 2.70 2.55 2.47 2.39 2.20 7.51 5.39 4.51 3.29 3.12 2.99 2.89 2.80 2.80 2.80 2.73 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.20 2.21 2.21 2.20 2.21 2.21	26	7.72	5.53	4.64	4.14	797	, j	7#6		0 W	30.	3.03	3.7K	2.63	2.55	2.47	2.38	2.29	2.20	2
764 545 4.57 4.07 375 3.53 3.50 3.23 3.12 3.00 2.00 2.00 2.07 2.73 2.74 2.73 2.73 2.23 2.23 7.56 5.30 4.51 4.04 4.04 4.03 3.30 3.37 3.00 2.87 2.73 2.73 2.41 2.39 2.30 2.23 7.56 5.39 4.51 4.02 2.70 3.47 3.39 2.30 2.89 2.89 2.70 2.55 2.47 2.39 2.20 2.21 7.31 5.18 4.31 3.29 3.12 2.99 2.89 2.80 2.80 2.80 2.80 2.23 2.31 2.03 1.94 1.84 7.08 4.79 3.95 3.41 2.95 2.72 2.66 2.80 2.30 2.13 2.03 1.94 1.84 8 4.79 3.95 3.41 2.96 2.75 2.24 2.24 <t< td=""><td>17</td><td>7,68</td><td>5,49</td><td>4.60</td><td>4.1</td><td>3.78</td><td>3.56</td><td>5.59</td><td>0.00</td><td>2.70</td><td>2 CO &</td><td>100</td><td>37.1</td><td>900</td><td>3 52</td><td>2.43</td><td>2.35</td><td>2.26</td><td>2.17</td><td>2.06</td></t<>	17	7,68	5,49	4.60	4.1	3.78	3.56	5.59	0.00	2.70	2 CO &	100	37.1	900	3 52	2.43	2.35	2.26	2.17	2.06
7.60 5.42 4.54 4.04 5.73 3.50 3.40 3.40 2.87 2.70 2.55 2.47 2.39 2.30 2.21 7.56 7.39 4.51 4.02 3.40 3.40 3.40 2.80 2.80 2.80 2.80 2.70 2.55 2.47 2.39 2.30 2.21 7.56 7.51 7.51 7.51 7.51 7.51 7.51 7.51 7.51	28	197	5.45	4.57	4.07		3.53	336	55.5	3.14	co'e	2			- A 40	7.41	2.33	373	1 6	2.03
7.56 5.39 4.51 4.02 3.70 3.47 3.30 3.17 3.07 2.88 2.84 2.70 2.33 2.47 2.33 2.50 2.50 2.50 2.50 2.50 2.50 2.50 2.50	29	7.60	5.42	4.54	404		3.50	3.33	3.20	3.09	3.00	2.87	2.13	70				100)	0
7.51 5.18 4.51 7.65 3.54 3.12 2.95 3.10 2.80 2.80 2.80 2.80 2.05 2.35 2.20 2.10 2.10 2.00 2.00 2.00 2.00 2.00		7.56	3.30	45	4.01	3.70	3.47	3.30	3.17	3.07	2.98	200	2,70	cc7	1	7.03	7		É	8
7.08 4.58 4.13 3.66 3.34 3.12 2.95 2.82 2.72 2.65 2.50 2.35 2.20 2.12 2.03 1.94 1.04 1.04 1.05 1.05 4.19 3.05 3.10 3.10 3.10 3.10 3.10 3.10 3.10 3.10		1.1	2.18	431	3.83		3.29	3.12	2.90	2.89	2.80	2.66	2.52	7.37	2,29	7.20	7	7	4 C.	
6.85 4.79 3.95 3.48 3.17 2.96 2.79 2.66 2.26 2.47 2.34 2.19 2.03 1.95 1.86 1.76 1.00 1.47 1.47 2.99 1.47 2.18 2.04 1.88 1.79 1.70 1.59 1.47	99	100	4 08	4.13			3.12	2.95	2.82	272	2.63	2.50	2.35	2.20	2.13	2.03		Į,		
000 Trip 1.59 1.70 1.59 1.47	3	30.7	9 5	103			2.96	2.79	2.66	2.56	2.47	234	2.19	2.03	1.05	- 88 -		8	PC'I	in.
	Total Control	000		1			4			***	4.43	410	A 0.4	1 00	1 70	E I		1.47	132	8

d.CD.:									ø	$\alpha = 0.025$									
Degrees of								d.f.N.	: Degrees	d.f.N.: Degrees of freedom, numerator	ı, numera	tot							
freedom,		2	m	4	35	9	7	æ	9	10	12	13	50	Ħ	38	8	98	120	8
	0 11	2000	0.630	9 000	8100	037.1	948.2	956.7	963.3	9.896	7.926	984.9	1.599	997.2	1001	1006	1010	1014	1018
	e 1	0000	20 17	30.05	30.10	10.43	39.36	39.37	39.39	39.40	39.41	39.43	39,45	39.46	39.46	39,47	39.48	39.49	39.50
7	38.2	39.00	, , , , , , , , , , , , , , , , , , ,	1 5	14.00	14.73	14.62	14.54	14.47	14,42	14.34	14.25	14,17	14.12	14.08	14,04	13.99	13.95	13.90
eri.	1	to of	# 10	07.0	96.6	0,0	500	8.08	8 90	8.84	8.75	8.66	8.56	8.51	8,46	8.41	8.36	8.31	8.26
71	12.22	10.65	86.6	700	0.70		30 7	A.76	4.68	65	659	6.43	6,33	6.28	6.23	6.18	6.12	6.07	6.02
۶	10.01	8.43	7.76	6 :	Ω .	0.90	600	97.4	Ş	, 48.	4.47	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85
9	8.81	7.26	09.9	6.23	666	700	200	100	100	71.	467	1.57	4.47	4.42	4.36	431	425	4.20	4.14
7	8.07	#S'9	5.89	2,27	67.6	77.0		1	3.05	7 7	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67
œ	7.57	90.9	5,42	5.05	7.87	6	000	7 5	4.62	70%	3.87	3.77	3.67	3,61	3.56	3.51	3.45	3.39	333
6	7.21	5.71	5.08	4.72	6 6	100	306	285	178	3.70	3.62	3.52	3.42	337	3,31	3.26	3.20	3.14	3.08
9	P6'9	5.46	4.83	4	67.6	5 6	2000	376	0 0	153	3.43		3.23	3.17	3,12	3.06	3.00	2.94	2.88
н	6.72	5.26	4.63	4.28	4.04	0.80	D/ To	0.00		122	4.28	3.18	101	3,02	2.96	2.91	2.85	2.79	2.72
13	6.55	5.10	4.47	4.12	20 1	7	3.00	3.20	121		3.15	3.05	2.05	2.89	2.84	2.78	2.72	2.66	2.60
6	6.41	4.97	4.35	8		200	9 00 0	130	101	<u>e</u>	305	7.95	2.84	2.79	2.73	19.6	2.61	2.55	2
<u>+</u>	6.30	4.86	4.4	5.89	9.00	2.74	2.00 2.00	3.30	3.12	306	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40
5	6.20	4.//	0 00	2.00	3.40	77. b	3.22	3.12	3.05	2.90	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	es.
9	7 6	6 5	00°+	3.66	717	1.08	3.16	3.06	2.98	2.92	2.82	2.72	2.62	256	2.50	2.44	2.38	2.32	ci.
	t 6	707	104	192	3 38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19
<u>e</u>			90.6	3.66	7.7	417	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2,27	2.20	ri A
61	76.6	7	20.5	141	1.30	3 13	301	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2,35	2,29	2.22	2,16	ci
25	79.0	0 4	0.00	3.46	3.75	300	197	2.87	2.80	2.73	264	2.53	2.42	237	231	2.25	2.18	2,11	2.04
77	0.00	7 100	2.79	144	3.33	3.05	293	2.84	2.76	2.70	2.60	2.50	2.30	2.33	2.27	2.21	2.14	2.08	C)
77	2.72	9 4	275	7	8	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	230	2.24	2.18	2.11	2.04	
٦;	7.5	2 50	2.73	3 38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2,44	2.33	2.27	2.21	2.15	2.08	2.01	
₹ }	7/17	100	1 60	3.35	3.13	207	2.85	2.75	2.68	2.61	2.51	2.41	1.30	2.24	2.18	2.12	2.05	86	6
១	100		0.03	1.0	9	2 04	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2,16	2.09	2,03	195	1.88
97	000		100	3.3	2.00	000	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2,19	2.13	2.07	2.00	1.93	
17	200	# H	co's	100	200	2.00	2.18	2,60	261	2.55	2.45	2.34	2,23	2.17	2.11	2.05	1.98	161	
58	2.01	4.42	5.03	670	30.0	3 60	y	296	2.50	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.8.1
50	5.59	4.20	3.61	7	5 6	10 k	¥.	39.6	1,57	156	241	2.31	2.20	2.14	2.07	2.01	81	1.87	1.79
30	5.57	4. X	3.39	2.6	0000	3.74	G	7.53	2.45	2.39	229	2.18	2.07	2.01	16.	1.88	1.80	1.72	
3	5.42	4.05	0#/6	61.6	OC V	100	- × c	174	7.33	2.27	2.17	2.06	1.94	1.88	1.82	E	1.67	1.58	1.48
8	5.29	3.93	#C.K	3,01	6 17	50.0	02.6	2.30	177	216	2.05	1.94	1.82	1.76	1,69	191	1.53	1.43	Ē
120	5.15	3.80	2,23	697	707	70.7	ì							100	100	1 40	1 70	1.57	901
	A Allborna manufactures					W. Continued Street, or	COLOR AND	A CONTRACTOR OF THE PARTY OF TH	A STORES TO STORE A	-	A CONTRACTOR OF THE PARTY OF TH		ACCOUNT OF THE PARTY OF THE PAR	delice session parties	SECONDOCT LANGE	TOURS DESIGNATION OF THE PARTY		07.75 SEED SEED SEED	

														×28					
Degrees of freedom,									.: Degrees	d.f.N.: Degrees of freedom, numerator	m, mumers	, L	Ş		Ç.	Ę	Ş	wc.	8
denominator	7	7	•	4	5	9	7	œ	6	9	17	2	3	\$) - -	₽	3		
	30.84	US OF	03.23	55.83	\$7.24	58.20	58.91	59,44	59.86	60.09	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33
	0000	900	910	70.0	9.29		9.35	6.19	98.6	626	941	9.42	9.44	9.45	9.46	9.47	0.47	9.48	9.49
4			2 30	, ,	7		4.27	\$25	5.24	523	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13
6	#CC	9 (, c	1 2	106		80 €	3.05	3,94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76
ď	4.54	3 !	A .	- S	20.4		111	3.5	3.33	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10
5	406	3.78	3.02	25.6	G .		į	30%	5	2.04	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72
9	3.78	3.40	3.0	9.10	0000		5.78	3.75	0.40	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47
	e P	gre	3,0,0	0.70	0.73		2.63	0.50	95 0	2.54	2.50	2.46	2.42	2.40	238	2.36	2.3	2.32	2.29
×	3,46		76.7	0 5	2.50		3.50	LP C	244	3.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16
٥.	136	10 E	187	0.7	150		14.0	3.48	9.35	2.32	2.28	2.24	2.20	2.18	2.16	2,13	2.11	2.08	2.06
01	3.29	76.7	6/7	707	7 7		3.77	3.30	277	1.25	2.21	2.17	2.12	2,10	2.08	2.05	2.03	2:00	1.97
=	3.23	987	7,96	,	9.0		3000	90°C	100	2.19	2.15	2,10	2.06	2.04	2.01	661	1.96	663	06'1
2	e ;	16.2	107	0 T C	31.6		233	220	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85
1	4 6	0.73	9 6	9 6	0.2		2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	161	1.89	1.86	1.83	1.80
•	0.70	5 F	1	90.0	100		91.6	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76
2	306	2 5	99.6	2.33	2.74		2.13	2.09	2.06	2.03	1.99	1.84	1.89	1.87	1.84	1.81	1.78	1.75	1.72
01		176	3.44	16.0	2.00		2.10	2.06	2.03	2.00	1.96	161	1.86	<u>z</u>	1.81	1.78	1.75	1.72	169
7	3,00	5 5	1 6	92.6	130		2.08	2.04	2.00	1.98	1.93	1.89	1.84	187	1.78	1.75	1.72	1.69	1.66
e :	10%	700	1 5	12.6	9.18	2.11	2.06	2.02	1.98	1.96	161	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1,63
a (7.7	707	0.40	300	2.16	2.09	204	2.00	1.96	16.1	1.89	184	1.79	1.7	1.74	EI	1.68	1.64	191
3 :	70%	֓֞֞֞֝֞֜֞֝֞֝֞֜֝֞֝֓֓֓֞֝֞֜֞֜֜֞֝֓֓֓֞֝֓֓֓֞֜֝	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1,69	98	1.62	1.59
7 8	306	2.56	235	222	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.8.1	1,76	1.73	1.70	191	3 <u>.</u>	1,60	1.57
1 8	3.00	}	2.34	2.21	2.11	2.05	96.1	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	98:	1.62	1.59	1.55
1 7	200	150	2.13	2.10	2.10	2.04	1.98	8	161	1.88	1.83	1.78	1.73	1.70	1.67	1.64	191	151	1.53
; ž	000	28	2.32	2.18	2.09	2,02	197	1.93	1.89	1.87	1.82	11.11	1.72	69'	997	1.63	1.59	1.56	1.52
	100	0.00	131	7.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	171	1.68	1.65	191	1.58	1.54	0.50
97	6,6	130	930	i c	7.07	2.00	195	1.91	1.87	1.85	1.80	1.75	1.10	1.67	1,64	1.60	1.57	1.53	1.49
17	2 5	2.31		7	206	200	경	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48
78	7.07	007	777	1	3 6	00	1 03	08	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1,47
53	26 H	3	97.7	1	200	90	103	8	20.	1.82	1.7	1.72	1971	1.64	197	1.57	1.54	1.50	1.46
30	7.68	, t.	977	00.0	906	- 63	187	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	151	1.47	1.42	1.38
9	Į,	1	777	9 6	90 -	, j	681	17	1.74	1.71	1,66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29
3	4.73	7.37	9			6	1	1.70	39	165	1 60	1.55	1,48	1.45	141	137	1.32	126	1.19
120	2.75	2.35	2.13	661	₹	701	101		1							V		I	00
***		20 X	THE PROPERTY OF STREET, SQUARE, SQUARE	THE PERSON NAMED IN COLUMN 2017	difficult on various or various	A SHIPPING AND	PRINCIPLE STREET, PARTY OF STREET, STR	一日の日にこれのことの	CONCERNIST NAME OF THE PARTY OF	Control School Service		S. Vezz Senton	1.44	CONTROL DESCRIPTION OF STREET	CONTRACTOR OF SERVICE	TO PARTY OF THE PA	74		

Table I Critical Values for PPMC

Reject H_0 : $\rho = 0$ if the absolute value of r is greater than the value given in the table. The values are for a two-tailed test; d.f. = n - 2.

two-tailed test; d.f	$E_n = n - 2$.		
d.f.	$\alpha = 0.05$	$\alpha = 0.01$	
1	0.999	0.999	
2	0.950	0.999	
3	0.878	0.959	
4	0.811	0.917	
5	0.754	0.875	
6	0.707	0.834	
7	0.666	0.798	
8	0.632	0.765	7
9	0.602	0.735	
10	0.576	0.708	
11	0.553	0.684	
12	0.532	0.661	
13	0.514	0.641	
14	0.497	0.623	
15	0.482	0.606	
16	0.468	0.590	
17	0.456	0.575	
18	0.444	0.561	
19	0.433	0.549	
20	0.423	0.537	
25	0.381	0.487	
30	0.349	0.449	
35	0.325	0.418	
Z / 40	0.304	0.393	
45	0.288	0.372	
50	0.273	0.354	
60	0.250	0.325	
70	0.232	0.302	
80	0.217	0.283	
90	0.205	0.267	
100	0.195	0.254	
	1		

Source: From Biometrika Tables for Statisticians, vol. 1 (1962), p. 138. Reprinted with permission.