



**UNIVERSITI KUALA LUMPUR
BUSINESS SCHOOL**

**FINAL EXAMINATION
MARCH 2025 SEMESTER**

COURSE CODE	: EGB10603
COURSE NAME	: ECONOMIC STATISTICS 2
PROGRAMME NAME	: BACHELOR OF SCIENCE (HONOURS) IN ANALYTICAL ECONOMICS
DATE	: 1 JULY 2025
TIME	: 9.00 AM – 12.00 PM
DURATION	: 3 HOURS

INSTRUCTIONS TO CANDIDATES

1. Please **CAREFULLY** read the instructions given in the question paper.
2. This question paper has information printed on both sides of the paper.
3. This question paper consists of **FOUR (4) Questions**.
4. Answer **ALL** questions.
5. Please write your answers on the answer booklet provided.
6. All questions must be answered in **English** (any other language is not allowed).
7. **This question paper must not be removed from the examination hall.**
8. Tables and formulas have been appended for your reference.

THERE ARE FIVE (5) PAGES OF QUESTIONS, INCLUDING THIS PAGE.

(Total: 100 marks)**Question 1**

- (a) Identify the five-step procedure for testing a hypothesis.

(5 marks)

- (b) An experiment was conducted to compare the strength of two different brands of denim trousers. A random sample of twelve pairs of trousers of brand A and a random sample of ten pairs of brand B were similarly tested. The brand A gave an average strength of 85kg with a sample standard deviation of 4, while the brand B gave an average of 81kg and a standard deviation of 5. At the 0.05 level of significance, test that the strength of brand A trousers is the same with brand B.

(8 marks)

- (c) A drug has been claimed to influence the circulation levels of androgens in the blood. A sample of 15 adult males was tested. Each of them had been injected with the drug and the levels of androgens in the blood at the time of injection and 30 minutes after the injection were recorded in nanograms per millilitre (ng/ml) as given in Table 1. At $\alpha = 0.05$, can it be concluded that the drug has influenced the level of androgens?

Table 1

Before	After	d
2.76	7.02	4.26
5.18	3.1	-2.08
2.68	5.44	2.76
3.05	3.99	0.94
4.1	5.21	1.11
7.05	10.26	3.21
6.6	13.91	7.31
4.79	18.53	13.74
7.39	7.91	0.52
7.3	4.85	-2.45
11.78	11.1	-0.68
3.9	3.74	-0.16
26	94.03	68.03
67.48	94.03	26.55
17.04	41.7	24.66

(12 marks)

Question 2

- (a) The number of books borrowed in a Business School was found to vary from day to day. In a sample study, the following information was obtained:

Table 2

Day	Mon.	Tue.	Wed.	Thu.	Fri.	Sat.	Total
No. of Book	1325	1250	1115	1305	1100	1455	7550

Test the hypothesis at $\alpha = 0.05$ that the number of books borrowed is uniformly distributed over the week.

(12 marks)

- (b) A Head of Program would like to find out whether there is any relationship between the results and gender of the students using the following data in Table 3.

Table 3

Test Result	Gender		Row Total
	Male	Female	
Fail	30	25	55
Pass	80	45	125
Column Total	110	70	180

At $\alpha = 0.05$, can you check the association between the test results and gender.

(13 marks)

Question 3

- (a) A medical researcher wants to determine whether there is a difference in the mean length of time it takes three types of pain relievers to provide relief from headache pain. Several headache sufferers are randomly selected and given one of the three medications. Each headache sufferer records the time (in minutes) it takes the medication to begin working. The results are shown on the next slide. At $\alpha = 0.01$, can you conclude that the mean times are different? Assume that each population of relief times is normally distributed and that the population variances are equal.

Table 4

Medication 1	Medication 2	Medication 3
12	16	14
15	14	17
17	21	20
12	15	15
	19	
$\bar{x}_1 = 14$	$\bar{x}_2 = 17$	$\bar{x}_3 = 16.5$
$s_1^2 = 6$	$s_2^2 = 8.5$	$s_3^2 = 7$

(13 marks)

- (b) Tests were conducted to compare three top brands of golf balls for mean distance travelled when struck by a driver. A robotic golfer was employed with a driver to hit a random sample of 5 golf balls of each brand in a random sequence. Distance travelled, in yards, for each hit is shown in the table below.

Table 5

Brand A	Brand B	Brand C
251.2	263.2	269.7
245.1	262.9	263.2
248.0	265.0	277.5
251.1	254.5	270.5
260.5	264.3	267.4
$\bar{x}_1 = 251.18$	$\bar{x}_2 = 261.98$	$\bar{x}_3 = 269.66$
$s_1^2 = 33.487$	$s_2^2 = 261.98$	$s_3^2 = 27.253$

At $\alpha = 0.05$, can you conclude that the mean distance travelled are different? Assume that each population is normally distributed and that the population variances are equal.

(12 marks)

Question 4

The manager of MRM System randomly selected 10 sales representatives and determined the number of sales calls each one made last month and the number of units of the product he or she sold last month. The sample information is reported in Table 6.

Table 6

Number of Sales Calls (x)	Number of Unit Sold (y)
14	28
35	66
22	38
29	70
6	22
15	27
17	28
20	47
12	14
29	68

- (a) Plot a complete linear regression diagram with number of units sold as dependent variable. State the X and Y axis and sketch the straight line to represent the regression model.
(6 marks)
- (b) Explain the relationship between the two variables in the diagram developed in part (a)
(2 marks)
- (c) Use the least squares method to compute the estimated regression equation.
(12 marks)
- (d) Describe the interpretation for the slope of the estimated regression equation.
(2 marks)
- (e) For an example who has been making 25 sales calls, calculate the number of units sold.
(3 marks)

END OF EXAMINATION PAPER

LIST OF FORMULAE FOR EGB 10603 ECONOMIC STATISTICS 2

Inference About Means and Proportions with Two Populations

Point Estimator of the Difference Between Two Population Means

$$\bar{x}_1 - \bar{x}_2$$

Standard Error of $\bar{x}_1 - \bar{x}_2$

$$\sigma_{\bar{x}_1 - \bar{x}_2} = \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

Interval Estimate of the Difference Between Two Population Means: σ_1 and σ_2 Known

$$\bar{x}_1 - \bar{x}_2 \pm z_{\alpha/2} \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

Test Statistic for Hypothesis Tests About $\mu_1 - \mu_2$; σ_1 and σ_2 Known

$$z = \frac{(\bar{x}_1 - \bar{x}_2) - D_0}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}}$$

Interval Estimate of the Difference Between Two Population Means: σ_1 and σ_2 Unknown

$$\bar{x}_1 - \bar{x}_2 \pm t_{\alpha/2} \sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}$$

Degrees of Freedom: t Distribution with Two Independent Random Samples

$$df = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}\right)^2}{\frac{1}{n_1 - 1} \left(\frac{s_1^2}{n_1}\right)^2 + \frac{1}{n_2 - 1} \left(\frac{s_2^2}{n_2}\right)^2}$$

Test Statistic for Hypothesis Tests About $\mu_1 - \mu_2$; σ_1 and σ_2 Unknown

$$t = \frac{(\bar{x}_1 - \bar{x}_2) - D_0}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$$

Test Statistic for Hypothesis Tests Involving Matched Samples

$$t = \frac{\bar{d} - \mu_d}{s_d / \sqrt{n}}$$

Point Estimator of the Difference Between Two Population Proportions

$$\bar{p}_1 - \bar{p}_2$$

Standard Error of $\bar{p}_1 - \bar{p}_2$

$$\sigma_{\bar{p}_1 - \bar{p}_2} = \sqrt{\frac{p_1(1-p_1)}{n_1} + \frac{p_2(1-p_2)}{n_2}}$$

Interval Estimate of the Difference Between Two Population Proportions

$$\bar{p}_1 - \bar{p}_2 \pm z_{\alpha/2} \sqrt{\frac{\bar{p}_1(1-\bar{p}_1)}{n_1} + \frac{\bar{p}_2(1-\bar{p}_2)}{n_2}}$$

Standard Error of $\bar{p}_1 - \bar{p}_2$ when $p_1 = p_2 = p$

$$\sigma_{\bar{p}_1 - \bar{p}_2} = \sqrt{p(1-p) \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}$$

Pooled Estimator of p when $p_1 = p_2 = p$

$$\bar{p} = \frac{n_1 \bar{p}_1 + n_2 \bar{p}_2}{n_1 + n_2}$$

Test Statistic for Hypothesis Tests About $p_1 - p_2$

$$z = \frac{(\bar{p}_1 - \bar{p}_2) - D_0}{\sqrt{\bar{p}(1-\bar{p}) \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}}$$

Test of Independence and Goodness of Fit

Expected Frequencies Under the Assumption H_0 Is True

$$e_{ij} = \frac{(\text{Row } i \text{ Total})(\text{Column } j \text{ Total})}{\text{Sample Size}}$$

Chi-Square Test Statistic

$$\chi^2 = \sum_i \sum_j \frac{(f_{ij} - e_{ij})^2}{e_{ij}}$$

Chi-Square Test Statistic for the Goodness of Fit Test

$$\chi^2 = \sum_i \frac{(f_i - e_i)^2}{e_i}$$

Analysis of Variance

Overall Sample Mean

$$\bar{x} = \frac{\sum_{j=1}^k \sum_{i=1}^{n_j} x_{ij}}{n_T}$$

$$n_T = n_1 + n_2 + \dots + n_k$$

Mean Square Due to Treatments

$$MSTR = \frac{SSTR}{k - 1}$$

Sum of Squares Due to Treatments

$$SSTR = \sum_{j=1}^k n_j (\bar{x}_j - \bar{x})^2$$

Mean Square Due to Error

$$MSE = \frac{SSE}{n_T - k}$$

Sum of Squares Due to Error

$$SSE = \sum_{j=1}^k (n_j - 1) s_j^2$$

Test Statistic for the Equality of k Population Means

$$F = \frac{MSTR}{MSE}$$

Simple Linear Regression

Estimated Simple Linear Regression Equation

$$\hat{y} = b_0 + b_1 x$$

Least Squares Criterion


$$\min \sum (y_i - \hat{y}_i)^2$$

Slope and y -Intercept for the Estimated Regression Equation

$$b_1 = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x_i - \bar{x})^2}$$

$$b_0 = \bar{y} - b_1 \bar{x}$$



Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

B.5 Student's *t* Distribution



Confidence Intervals, <i>c</i>						
<i>df</i>	80%	90%	95%	98%	99%	99.9%
	Level of Significance for One-Tailed Test, α					
	0.10	0.05	0.025	0.01	0.005	0.0005
Level of Significance for Two-Tailed Test, α						
	0.20	0.10	0.05	0.02	0.01	0.001
1	3.078	6.314	12.706	31.821	63.657	636.619
2	1.886	2.920	4.303	6.965	9.925	31.599
3	1.638	2.353	3.182	4.541	5.841	12.924
4	1.533	2.132	2.776	3.747	4.604	8.610
5	1.476	2.015	2.571	3.365	4.032	6.869
6	1.440	1.943	2.447	3.143	3.707	5.959
7	1.415	1.895	2.365	2.998	3.499	5.408
8	1.397	1.860	2.306	2.896	3.355	5.041
9	1.383	1.833	2.262	2.821	3.250	4.781
10	1.372	1.812	2.228	2.764	3.169	4.587
11	1.363	1.796	2.201	2.718	3.106	4.437
12	1.356	1.782	2.179	2.681	3.055	4.318
13	1.350	1.771	2.160	2.650	3.012	4.221
14	1.345	1.761	2.145	2.624	2.977	4.140
15	1.341	1.753	2.131	2.602	2.947	4.073
16	1.337	1.746	2.120	2.583	2.921	4.015
17	1.333	1.740	2.110	2.567	2.898	3.965
18	1.330	1.734	2.101	2.552	2.878	3.922
19	1.328	1.729	2.093	2.539	2.861	3.883
20	1.325	1.725	2.086	2.528	2.845	3.850
21	1.323	1.721	2.080	2.518	2.831	3.819
22	1.321	1.717	2.074	2.508	2.819	3.792
23	1.319	1.714	2.069	2.500	2.807	3.768
24	1.318	1.711	2.064	2.492	2.797	3.745
25	1.316	1.708	2.060	2.485	2.787	3.725
26	1.315	1.706	2.056	2.479	2.779	3.707
27	1.314	1.703	2.052	2.473	2.771	3.690
28	1.313	1.701	2.048	2.467	2.763	3.674
29	1.311	1.699	2.045	2.462	2.756	3.659
30	1.310	1.697	2.042	2.457	2.750	3.646
31	1.309	1.696	2.040	2.453	2.744	3.633
32	1.309	1.694	2.037	2.449	2.738	3.622
33	1.308	1.692	2.035	2.445	2.733	3.611
34	1.307	1.691	2.032	2.441	2.728	3.601
35	1.306	1.690	2.030	2.438	2.724	3.591

Confidence Intervals, <i>c</i>						
<i>df</i>	80%	90%	95%	98%	99%	99.9%
	Level of Significance for One-Tailed Test, α					
	0.10	0.05	0.025	0.01	0.005	0.0005
Level of Significance for Two-Tailed Test, α						
	0.20	0.10	0.05	0.02	0.01	0.001
36	1.306	1.688	2.028	2.434	2.719	3.582
37	1.305	1.687	2.026	2.431	2.715	3.574
38	1.304	1.686	2.024	2.429	2.712	3.566
39	1.304	1.685	2.023	2.426	2.708	3.558
40	1.303	1.684	2.021	2.423	2.704	3.551
41	1.303	1.683	2.020	2.421	2.701	3.544
42	1.302	1.682	2.018	2.418	2.698	3.538
43	1.302	1.681	2.017	2.416	2.695	3.532
44	1.301	1.680	2.015	2.414	2.692	3.526
45	1.301	1.679	2.014	2.412	2.690	3.520
46	1.300	1.679	2.013	2.410	2.687	3.515
47	1.300	1.678	2.012	2.408	2.685	3.510
48	1.299	1.677	2.011	2.407	2.682	3.505
49	1.299	1.677	2.010	2.405	2.680	3.500
50	1.299	1.676	2.009	2.403	2.678	3.496
51	1.298	1.675	2.008	2.402	2.676	3.492
52	1.298	1.675	2.007	2.400	2.674	3.488
53	1.298	1.674	2.006	2.399	2.672	3.484
54	1.297	1.674	2.005	2.397	2.670	3.480
55	1.297	1.673	2.004	2.396	2.668	3.476
56	1.297	1.673	2.003	2.395	2.667	3.473
57	1.297	1.672	2.002	2.394	2.665	3.470
58	1.296	1.672	2.002	2.392	2.663	3.466
59	1.296	1.671	2.001	2.391	2.662	3.463
60	1.296	1.671	2.000	2.390	2.660	3.460
61	1.296	1.670	2.000	2.389	2.659	3.457
62	1.295	1.670	1.999	2.388	2.657	3.454
63	1.295	1.669	1.998	2.387	2.656	3.452
64	1.295	1.669	1.998	2.386	2.655	3.449
65	1.295	1.668	1.997	2.385	2.654	3.447
66	1.295	1.668	1.997	2.384	2.652	3.444
67	1.294	1.668	1.996	2.383	2.651	3.442
68	1.294	1.668	1.995	2.382	2.650	3.439
69	1.294	1.667	1.995	2.382	2.649	3.437
70	1.294	1.667	1.994	2.381	2.648	3.435

(continued)

Confidence Intervals, c						
df	80%	90%	95%	98%	99%	99.9%
	Level of Significance for One-Tailed Test, α					
	0.10	0.05	0.025	0.01	0.005	0.0005
	Level of Significance for Two-Tailed Test, α					
	0.20	0.10	0.05	0.02	0.01	0.001
71	1.294	1.667	1.994	2.380	2.647	3.433
72	1.293	1.666	1.993	2.379	2.646	3.431
73	1.293	1.666	1.993	2.379	2.645	3.429
74	1.293	1.666	1.993	2.378	2.644	3.427
75	1.293	1.665	1.992	2.377	2.643	3.425
76	1.293	1.665	1.992	2.376	2.642	3.423
77	1.293	1.665	1.991	2.376	2.641	3.421
78	1.292	1.665	1.991	2.375	2.640	3.420
79	1.292	1.664	1.990	2.374	2.640	3.418
80	1.292	1.664	1.990	2.374	2.639	3.416
81	1.292	1.664	1.990	2.373	2.638	3.415
82	1.292	1.664	1.989	2.373	2.637	3.413
83	1.292	1.663	1.989	2.372	2.636	3.412
84	1.292	1.663	1.989	2.372	2.636	3.410
85	1.292	1.663	1.988	2.371	2.635	3.409
86	1.291	1.663	1.988	2.370	2.634	3.407
87	1.291	1.663	1.988	2.370	2.634	3.406
88	1.291	1.662	1.987	2.369	2.633	3.405

Confidence Intervals, c						
df	80%	90%	95%	98%	99%	99.9%
	Level of Significance for One-Tailed Test, α					
	0.10	0.05	0.025	0.01	0.005	0.0005
	Level of Significance for Two-Tailed Test, α					
	0.20	0.10	0.05	0.02	0.01	0.001
89	1.291	1.662	1.987	2.369	2.632	3.403
90	1.291	1.662	1.987	2.368	2.632	3.402
91	1.291	1.662	1.986	2.368	2.631	3.401
92	1.291	1.662	1.986	2.368	2.630	3.399
93	1.291	1.661	1.986	2.367	2.630	3.398
94	1.291	1.661	1.986	2.367	2.629	3.397
95	1.291	1.661	1.985	2.366	2.629	3.396
96	1.290	1.661	1.985	2.366	2.628	3.395
97	1.290	1.661	1.985	2.365	2.627	3.394
98	1.290	1.661	1.984	2.365	2.627	3.393
99	1.290	1.660	1.984	2.365	2.626	3.392
100	1.290	1.660	1.984	2.364	2.626	3.390
120	1.289	1.658	1.980	2.358	2.617	3.373
140	1.288	1.656	1.977	2.353	2.611	3.361
160	1.287	1.654	1.975	2.350	2.607	3.352
180	1.286	1.653	1.973	2.347	2.603	3.345
200	1.286	1.653	1.972	2.345	2.601	3.340
∞	1.282	1.645	1.960	2.326	2.576	3.291

Table G The Chi-Square Distribution

Degrees of freedom	α									
	0.995	0.99	0.975	0.95	0.90	0.10	0.05	0.025	0.01	0.005
1	—	—	0.001	0.004	0.016	2.706	3.841	5.024	6.635	7.879
2	0.010	0.020	0.051	0.103	0.211	4.605	5.991	7.378	9.210	10.597
3	0.072	0.115	0.216	0.352	0.584	6.251	7.815	9.348	11.345	12.838
4	0.207	0.297	0.484	0.711	1.064	7.779	9.488	11.143	13.277	14.860
5	0.412	0.554	0.831	1.145	1.610	9.236	11.071	12.833	15.086	16.750
6	0.676	0.872	1.237	1.635	2.204	10.645	12.592	14.449	16.812	18.548
7	0.989	1.239	1.690	2.167	2.833	12.017	14.067	16.013	18.475	20.278
8	1.344	1.646	2.180	2.733	3.490	13.362	15.507	17.535	20.090	21.955
9	1.735	2.088	2.700	3.325	4.168	14.684	16.919	19.023	21.666	23.589
10	2.156	2.558	3.247	3.940	4.865	15.987	18.307	20.483	23.209	25.188
11	2.603	3.053	3.816	4.575	5.578	17.275	19.675	21.920	24.725	26.757
12	3.074	3.571	4.404	5.226	6.304	18.549	21.026	23.337	26.217	28.299
13	3.565	4.107	5.009	5.892	7.042	19.812	22.362	24.736	27.688	29.819
14	4.075	4.660	5.629	6.571	7.790	21.064	23.685	26.119	29.141	31.319
15	4.601	5.229	6.262	7.261	8.547	22.307	24.996	27.488	30.578	32.801
16	5.142	5.812	6.908	7.962	9.312	23.542	26.296	28.845	32.000	34.267
17	5.697	6.408	7.564	8.672	10.085	24.769	27.587	30.191	33.409	35.718
18	6.265	7.015	8.231	9.390	10.865	25.989	28.869	31.526	34.805	37.156
19	6.844	7.633	8.907	10.117	11.651	27.204	30.144	32.852	36.191	38.582
20	7.434	8.260	9.591	10.851	12.443	28.412	31.410	34.170	37.566	39.997
21	8.034	8.897	10.283	11.591	13.240	29.615	32.671	35.479	38.932	41.401
22	8.643	9.542	10.982	12.338	14.042	30.813	33.924	36.781	40.289	42.796
23	9.262	10.196	11.689	13.091	14.848	32.007	35.172	38.076	41.638	44.181
24	9.886	10.856	12.401	13.848	15.659	33.196	36.415	39.364	42.980	45.559
25	10.520	11.524	13.120	14.611	16.473	34.382	37.652	40.646	44.314	46.928
26	11.160	12.198	13.844	15.379	17.292	35.563	38.885	41.923	45.642	48.290
27	11.808	12.879	14.573	16.151	18.114	36.741	40.113	43.194	46.963	49.645
28	12.461	13.565	15.308	16.928	18.939	37.916	41.337	44.461	48.278	50.993
29	13.121	14.257	16.047	17.708	19.768	39.087	42.557	45.722	49.588	52.336
30	13.787	14.954	16.791	18.493	20.599	40.256	43.773	46.979	50.892	53.672
40	20.707	22.164	24.433	26.509	29.051	51.805	55.758	59.342	63.691	66.766
50	27.991	29.707	32.357	34.764	37.689	63.167	67.505	71.420	76.154	79.490
60	35.534	37.485	40.482	43.188	46.459	74.397	79.082	83.298	88.379	91.952
70	43.275	45.442	48.758	51.739	55.329	85.527	90.531	95.023	100.425	104.215
80	51.172	53.540	57.153	60.391	64.278	96.578	101.879	106.629	112.329	116.321
90	59.196	61.754	65.647	69.126	73.291	107.565	113.145	118.136	124.116	128.299
100	67.328	70.065	74.222	77.929	82.358	118.498	124.342	129.561	135.807	140.169

Source: Donald B. Owen, *Handbook of Statistics Tables*, The Chi-Square Distribution Table, © 1962 by Addison-Wesley Publishing Company, Inc. Copyright renewal © 1990. Reprinted by permission of Pearson Education, Inc.




Table H (continued)

d.f.D.		d.f.N.: Degrees of freedom, numerator																		
Degrees of freedom, denominator		$\alpha = 0.01$																		
		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	4052	4999.5	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6255	6291	6327	6363	6399	6439	6466
2	94.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.43	99.43	99.45	99.46	99.47	99.47	99.48	99.48	99.49	99.50
3	34.12	39.82	39.46	39.71	39.84	39.91	39.96	40.00	40.03	40.05	40.07	40.09	40.11	40.12	40.13	40.14	40.15	40.16	40.17	40.18
4	21.20	26.00	25.69	25.96	26.15	26.29	26.41	26.51	26.60	26.68	26.75	26.81	26.86	26.90	26.93	26.96	26.99	27.01	27.03	27.05
5	16.26	20.37	20.08	20.36	20.57	20.70	20.81	20.91	21.00	21.08	21.15	21.21	21.26	21.29	21.32	21.35	21.38	21.40	21.42	21.44
6	13.75	17.02	16.75	17.04	17.26	17.40	17.51	17.61	17.69	17.76	17.83	17.88	17.93	17.96	17.99	18.01	18.04	18.06	18.08	18.10
7	12.25	15.55	15.29	15.59	15.82	15.97	16.08	16.18	16.27	16.34	16.41	16.46	16.50	16.53	16.56	16.58	16.61	16.63	16.65	16.67
8	11.26	14.56	14.31	14.61	14.85	15.00	15.11	15.21	15.29	15.36	15.43	15.48	15.52	15.55	15.58	15.60	15.63	15.65	15.67	15.69
9	10.56	13.86	13.61	13.91	14.15	14.30	14.41	14.51	14.59	14.66	14.73	14.78	14.82	14.85	14.88	14.90	14.93	14.95	14.97	14.99
10	10.04	13.34	13.09	13.39	13.63	13.78	13.89	13.99	14.07	14.14	14.21	14.26	14.30	14.33	14.36	14.38	14.41	14.43	14.45	14.47
11	9.65	12.95	12.70	13.00	13.24	13.39	13.50	13.60	13.68	13.75	13.82	13.87	13.91	13.94	13.97	13.99	14.02	14.04	14.06	14.08
12	9.33	12.63	12.38	12.68	12.92	13.07	13.18	13.28	13.36	13.43	13.50	13.55	13.59	13.62	13.65	13.67	13.70	13.72	13.74	13.76
13	9.07	12.37	12.12	12.42	12.66	12.81	12.92	13.02	13.10	13.17	13.24	13.29	13.33	13.36	13.39	13.41	13.44	13.46	13.48	13.50
14	8.86	12.16	11.91	12.21	12.45	12.60	12.71	12.81	12.89	12.96	13.03	13.08	13.12	13.15	13.18	13.20	13.23	13.25	13.27	13.29
15	8.68	11.98	11.73	12.03	12.27	12.42	12.53	12.63	12.71	12.78	12.85	12.90	12.94	12.97	12.99	13.02	13.04	13.06	13.08	13.10
16	8.53	11.83	11.58	11.88	12.12	12.27	12.38	12.48	12.56	12.63	12.70	12.75	12.79	12.82	12.85	12.87	12.90	12.92	12.94	12.96
17	8.40	11.70	11.45	11.75	11.99	12.14	12.25	12.35	12.43	12.50	12.57	12.62	12.66	12.69	12.72	12.74	12.77	12.79	12.81	12.83
18	8.29	11.60	11.35	11.65	11.89	12.04	12.15	12.25	12.33	12.40	12.47	12.52	12.56	12.59	12.62	12.64	12.67	12.69	12.71	12.73
19	8.18	11.50	11.25	11.55	11.79	11.94	12.05	12.15	12.23	12.30	12.37	12.42	12.46	12.49	12.52	12.54	12.57	12.59	12.61	12.63
20	8.10	11.43	11.18	11.48	11.72	11.87	11.98	12.08	12.16	12.23	12.30	12.35	12.39	12.42	12.45	12.47	12.50	12.52	12.54	12.56
21	8.02	11.36	11.11	11.41	11.65	11.80	11.91	12.01	12.09	12.16	12.23	12.28	12.32	12.35	12.38	12.40	12.43	12.45	12.47	12.49
22	7.95	11.30	11.05	11.35	11.59	11.74	11.85	11.95	12.03	12.10	12.17	12.22	12.26	12.29	12.32	12.34	12.37	12.39	12.41	12.43
23	7.88	11.24	11.00	11.30	11.54	11.69	11.80	11.90	11.98	12.05	12.12	12.17	12.21	12.24	12.27	12.29	12.32	12.34	12.36	12.38
24	7.82	11.18	10.94	11.24	11.48	11.63	11.74	11.84	11.92	12.00	12.07	12.12	12.16	12.19	12.22	12.24	12.27	12.29	12.31	12.33
25	7.77	11.13	10.89	11.19	11.43	11.58	11.69	11.79	11.87	11.94	12.01	12.06	12.10	12.13	12.16	12.18	12.21	12.23	12.25	12.27
26	7.72	11.08	10.84	11.14	11.38	11.53	11.64	11.74	11.82	11.90	11.97	12.02	12.06	12.09	12.12	12.14	12.17	12.19	12.21	12.23
27	7.68	11.04	10.80	11.10	11.34	11.49	11.60	11.70	11.78	11.86	11.93	11.98	12.02	12.05	12.08	12.10	12.13	12.15	12.17	12.19
28	7.64	11.00	10.76	11.06	11.30	11.45	11.56	11.66	11.74	11.82	11.89	11.94	11.98	12.01	12.04	12.06	12.09	12.11	12.13	12.15
29	7.60	10.96	10.72	11.02	11.26	11.41	11.52	11.62	11.70	11.78	11.85	11.90	11.94	11.97	12.00	12.02	12.05	12.07	12.09	12.11
30	7.56	10.92	10.68	10.98	11.22	11.37	11.48	11.58	11.66	11.74	11.81	11.86	11.90	11.93	11.96	11.98	12.01	12.03	12.05	12.07
40	7.31	10.68	10.44	10.74	10.98	11.13	11.24	11.34	11.42	11.50	11.57	11.62	11.66	11.69	11.72	11.74	11.77	11.79	11.81	11.83
60	7.08	10.48	10.24	10.54	10.78	10.93	11.04	11.14	11.22	11.30	11.37	11.42	11.46	11.49	11.52	11.54	11.57	11.59	11.61	11.63
120	6.85	10.29	10.05	10.35	10.59	10.74	10.85	10.95	11.03	11.11	11.18	11.23	11.27	11.30	11.33	11.35	11.38	11.40	11.42	11.44
∞	6.63	10.07	9.83	10.13	10.37	10.52	10.63	10.73	10.81	10.89	10.96	11.01	11.05	11.08	11.11	11.13	11.16	11.18	11.20	11.22

Table H (continued)

d.f.s.		$\alpha = 0.05$																		
Degrees of freedom, numerator		d.f.N.: Degrees of freedom, denominator																		
		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.50	2.45	2.38	2.31	2.23	2.19	2.19	2.15	2.10	2.05	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.33	2.27	2.22	2.15	2.07	1.99	1.95	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.94	2.70	2.55	2.43	2.35	2.28	2.23	2.18	2.10	2.03	1.94	1.90	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.81	1.81	1.76	1.71	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.52	1.46	1.39	1.32	1.22	1.00