

UNIVERSITI KUALA LUMPUR  
BUSINESS SCHOOL

---

**FINAL EXAMINATION**  
**OCTOBER 2025 SEMESTER**

---

COURSE CODE : EGB10603  
COURSE TITLE : ECONOMIC STATISTICS 2  
PROGRAMME NAME : BACHELOR OF SCIENCE (HONS) IN ANALYTICAL ECONOMICS  
DATE : 30 JANUARY 2026  
TIME : 3:00PM - 6:00PM  
DURATION : 3 HOURS

---

**INSTRUCTIONS TO CANDIDATES**

---

1. Please read the instructions given in the question paper CAREFULLY.
2. This question paper is printed on both sides of the paper.
3. This question paper consist of ONE sections.
4. Section A consist of five questions. Answer FOUR (4) questions only.
5. Please write your answer on the answer booklet provided.
6. Please answer all questions in English only.
7. Refer to the attached Formula/ Appendies.  Tick if applicable

---

THERE ARE 10 PAGES OF QUESTIONS INCLUDING THIS PAGE

---

## SECTION A (Total: 100 marks)

Answer FOUR (4) questions.

Please use the answer booklet provided.

## Question 1

Please answer the following questions.

- (a) A study is conducted to compare the effect of two energy-saving settings, Setting A and Setting B, on household electricity usage. Each of 8 households first used Setting A and then Setting B on the following day, and the reduction in electricity consumption compared to their usual daily usage (in kilowatt-hours) was recorded. The difference is defined as (Setting B – Setting A). The results are shown in Table 1. Using a 5% significance level, test whether the two settings have the same effect on reducing electricity consumption.

Table 1

Setting A	Setting B	Difference
0.4	0.6	0.2
0.3	0.5	0.2
0.9	0.7	-0.2
0.4	0.6	0.2
1	0.9	-0.1
1	1.1	0.1
1	1.5	0.5
1	2.1	1.1

(7 marks)

- (b) A factory wishes to compare three different techniques for improving the production speed of a machine. The machines are randomly assigned to three groups; the first group uses Technique A, the second group uses Technique B, and the third group uses Technique C. After one week of testing, the increase in the number of units produced per day by each machine is recorded in Table 2. Assume that the data in each group is approximately normally distributed. At the 5% significance level, test whether there is a significant difference in mean production increases among the three techniques.

Table 2

Technique A	Technique B	Technique C
9	0	4
10	2	5
12	3	8
13	6	9
15	8	12
$\bar{x}_1 = 11.8$	$\bar{x}_2 = 3.8$	$\bar{x}_3 = 7.6$
$s_1^2 = 5.7$	$s_2^2 = 10.2$	$s_3^2 = 10.3$

(9 marks)

- (c) A botanist wants to study the effect of water supply on flower growth. The botanist knows that increased water generally increases the height of the flower, and a study is therefore performed in which the flower height (in centimeters) is measured as a function of the amount of water supplied per week (in liters). The sample information is reported in Table 3. Use the least squares method to compute the estimated regression equation.

Table 3

Water Supplied per Week (X)	Flower Height (Y)	$x_i - \bar{x}$	$y_i - \bar{y}$
5.3	21	0.98	2.5
3.8	16	-0.52	-2.5
3.1	13	-1.22	-5.5
2.9	12	-1.42	-6.5
4.4	23	0.08	4.5
4.9	20	0.58	1.5
5.1	23	0.78	4.5
5.4	24	1.08	5.5
3.2	14	-1.12	-4.5
5.1	19	0.78	0.5

(9 marks)

## Question 2

Please answer the following questions.

- (a) In a study on online shopping habits, a sample of 150 customers who use mobile apps and 200 customers who use desktop websites, aged between 18 and 35 years, is examined. It is found that 30 mobile app users and 48 desktop users made purchases during a promotional campaign. Based on these data, is it possible to conclude, at a 5% significance level, that there is no significant difference between mobile app users and desktop users on the proportion of customers making purchases?  
(7 marks)
- (b) An analysis was conducted to compare the daily energy output (in kilowatt-hours) of solar panels installed in three different types of locations. The energy outputs were recorded for a random sample of ten panels at each location type, as shown in Table 4. At the 5% significance level, test the claim that the mean daily energy outputs are the same across the three location types. Assume that each population is normally distributed with equal variances.

Table 4

Rooftop Panels	Ground Panels	Solar Farm Panels
290	245	342
406	502	216
371	474	335
544	505	698
374	393	216
501	264	169
376	368	608
499	510	432
479	296	510
475	349	332
$\bar{x}_1 = 431.5$	$\bar{x}_2 = 390.6$	$\bar{x}_3 = 385.8$
$s_1^2 = 6323.389$	$s_2^2 = 10570.267$	$s_3^2 = 30717.956$

(10 marks)

- (c) A retail study is conducted to examine how the price of a product affects the amount demanded by customers. A study is carried out in which the amount demanded is recorded for 6 different prices. The results of this study are shown in Table 5. Determine the regression equation that expresses amount demanded as a linear function of price.

Table 5

Price (X, RM)	Amount Demanded (Y, units)
10	40
12	38
13	43
12	45
16	37
15	43

(8 marks)

## Question 3

Please answer the following questions.

- (a) A water treatment plant is testing the effect of a new pipeline adjustment on water flow rates. A sample of 15 pipelines was measured. For each pipeline, the flow rate (in liters per minute) was recorded before the adjustment and 30 minutes after the adjustment. The results are shown in Table 6. At  $\alpha = 0.05$ , can it be concluded that the adjustment has significantly influenced the water flow rates?

Table 6

Before	After	$d_i = \text{After} - \text{Before}$
2.76	7.02	4.26
5.18	3.1	-2.08
2.68	5.44	2.76
3.05	3.99	0.94
4.1	5.21	1.11
7.05	10.26	3.21
6.6	13.91	7.31
4.79	18.53	13.74
7.39	7.91	0.52
7.3	4.85	-2.45
11.78	11.1	-0.68
3.9	3.74	-0.16
26	94.03	68.03
67.48	94.03	26.55
17.04	41.7	24.66

(8 marks)

- (b) An analysis was conducted to compare the number of push-ups completed in one minute by athletes following three different training programs. Five athletes were randomly assigned to each program, and their performance is recorded in Table 7. At the 5% significance level, test the claim that the mean number of push-ups is the same across the three training programs. Assume that each population is normally distributed with equal variances.

Table 7

Program 1	Program 2	Program 3
51	23	56
45	43	76
33	23	74
45	43	87
67	45	56
$\bar{x}_1 = 48.2$	$\bar{x}_2 = 35.4$	$\bar{x}_3 = 69.8$
$s_1^2 = 153.2$	$s_2^2 = 128.8$	$s_3^2 = 183.2$

(9 marks)

- (c) A chemical laboratory wants to investigate the relationship between the pressure applied to a filter and the rate at which a liquid passes through it (flux). The data collected are shown in Table 8.

Table 8

<b>Pressure (X)</b>	1.02	2.08	2.89	4.01	5.32	5.83	7.26	7.96	9.11	9.99
<b>Flux (Y)</b>	1.15	0.85	1.56	1.72	4.32	5.07	5.00	5.31	6.17	7.04

Plot a complete linear regression diagram with flux (Y) as the dependent variable and pressure (X) as the independent variable. Clearly label the X and Y axes, sketch the regression line, and briefly explain the relationship between pressure and flux.

(8 marks)

**Question 4**

Please answer the following questions.

- (a) A flooring maintenance company in Malaysia is comparing the durability of two competing floor wax products, Wax A and Wax B. Twenty floors were randomly selected for each wax, and both populations are known to have normally distributed lasting times with known population standard deviations. The sample mean lasting time for Wax A is 3.0 months with a population standard deviation of 0.33 months, while the sample mean lasting time for Wax B is 2.9 months with a population standard deviation of 0.36 months. Using a 5% significance level, test whether Wax A lasts longer than Wax B.

(7 marks)

- (b) An analysis was conducted to compare the weekly running distances (in kilometers) of runners following three different training plans. A random sample of 30 runners was selected for each plan, and the weekly distances are summarized in Table 9. At the 1% significance level, test the claim that the mean weekly running distances are the same across the three training plans. Assume that each population is normally distributed with equal variances.

Table 9

Training Plan	n	Mean (km)	SD (km)
Plan 1	30	50.26	10.45
Plan 2	30	45.32	12.76
Plan 3	30	53.67	11.47

(9 marks)

- (c) A tech startup is studying how the number of coding projects completed by interns affects the number of job offers they receive from companies. The data for a sample of interns are shown in Table 10. Determine the estimates of the parameters in the usual linear regression model that relates job offers to coding projects completed.

Table 10

Coding Projects Completed (X)	Job Offer (Y)
1	4
2	6
1	3
0	1

(9 marks)

**Question 5**

Please answer the following questions.

- (a) A public health researcher wants to determine whether the proportion of teenagers who regularly consume sugary drinks differs between two urban areas, Area A and Area B. A sample of 2,049 teenagers was surveyed in Area A, and 550 teenagers were surveyed in Area B. In Area A, 239 respondents reported drinking sugary beverages daily, while in Area B, 9 respondents reported the same habit. At the 5% significance level, test whether the proportion of teenagers who consume sugary drinks daily differs between the two areas.

(7 marks)

- (b) A researcher claims that there is a difference in the average age of assistant professors, associate professors, and full professors at her university. Faculty members are selected randomly and their ages are recorded in Table 11. Assume faculty ages are normally distributed. Test the claim at 1% significance level.

Table 11

Assistant Prof	28	32	36	42	50	33	38	$\bar{x}_1 = 37$	$s_1^2 = 53.00$
Associate Prof	44	61	52	54	62	45	46	$\bar{x}_2 = 52$	$s_2^2 = 55.67$
Prof	54	56	55	65	52	50	46	$\bar{x}_3 = 54$	$s_3^2 = 35.00$

(9 marks)

- (c) A logistics company is investigating the effect of distance from its main warehouse on the average delivery time for parcels. The data collected for different distances (in km) and corresponding average delivery times (in hours) are shown in Table 12. Use the least squares method to compute the estimated regression equation.

Table 12

Distance from warehouse (X)	Average delivery time (Y)	$x_i - \bar{x}$	$y_i - \bar{y}$
55	3	-5	-1.24
55	3.3	-5	-0.94
55	3.4	-5	-0.84
70	3.5	10	-0.74
55	4.1	-5	-0.14
60	4.3	0	0.06
55	4.7	-5	0.46
60	4.9	0	0.66
60	5.1	0	0.86
75	6.1	15	1.86

(9 marks)

OCTOBER 2025

CONFIDENTIAL  
92410661

END OF EXAMINATION PAPER

LIBRARY COPY

## LIST OF FORMULAE FOR EGB 10603 ECONOMIC STATISTICS 2

### Inference About Means and Proportions with Two Populations

Point Estimator of the Difference Between Two Population Means

$$\bar{x}_1 - \bar{x}_2$$

Standard Error of  $\bar{x}_1 - \bar{x}_2$

$$\sigma_{\bar{x}_1 - \bar{x}_2} = \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

Interval Estimate of the Difference Between Two Population Means:  $\sigma_1$  and  $\sigma_2$  Known

$$\bar{x}_1 - \bar{x}_2 \pm z_{\alpha/2} \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}$$

Test Statistic for Hypothesis Tests About  $\mu_1 - \mu_2$ :  $\sigma_1$  and  $\sigma_2$  Known

$$z = \frac{(\bar{x}_1 - \bar{x}_2) - D_0}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}}$$

Interval Estimate of the Difference Between Two Population Means:  $\sigma_1$  and  $\sigma_2$  Unknown

$$\bar{x}_1 - \bar{x}_2 \pm t_{\alpha/2} \sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}$$

Degrees of Freedom:  $t$  Distribution with Two Independent Random Sa

$$df = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}\right)^2}{\frac{1}{n_1 - 1} \left(\frac{s_1^2}{n_1}\right)^2 + \frac{1}{n_2 - 1} \left(\frac{s_2^2}{n_2}\right)^2}$$

Test Statistic for Hypothesis Tests About  $\mu_1 - \mu_2$ :  $\sigma_1$  and  $\sigma_2$  Unknown

$$t = \frac{(\bar{x}_1 - \bar{x}_2) - D_0}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$$

Test Statistic for Hypothesis Tests Involving Matched Samples

$$t = \frac{\bar{d} - \mu_d}{s_d / \sqrt{n}}$$

Point Estimator of the Difference Between Two Population Proportions

$$\bar{p}_1 - \bar{p}_2$$

Standard Error of  $\bar{p}_1 - \bar{p}_2$

$$\sigma_{\bar{p}_1 - \bar{p}_2} = \sqrt{\frac{p_1(1-p_1)}{n_1} + \frac{p_2(1-p_2)}{n_2}}$$

Interval Estimate of the Difference Between Two Population Proportions

$$\bar{p}_1 - \bar{p}_2 \pm z_{\alpha/2} \sqrt{\frac{\bar{p}_1(1-\bar{p}_1)}{n_1} + \frac{\bar{p}_2(1-\bar{p}_2)}{n_2}}$$

Standard Error of  $\bar{p}_1 - \bar{p}_2$  when  $p_1 = p_2 = p$

$$\sigma_{\bar{p}_1 - \bar{p}_2} = \sqrt{p(1-p) \left(\frac{1}{n_1} + \frac{1}{n_2}\right)}$$

Pooled Estimator of  $p$  when  $p_1 = p_2 = p$

$$\bar{p} = \frac{n_1 \bar{p}_1 + n_2 \bar{p}_2}{n_1 + n_2}$$

Test Statistic for Hypothesis Tests About  $p_1 - p_2$

$$z = \frac{(\bar{p}_1 - \bar{p}_2) - D_0}{\sqrt{\bar{p}(1-\bar{p}) \left(\frac{1}{n_1} + \frac{1}{n_2}\right)}}$$

### Test of Independence and Goodness of Fit

Expected Frequencies Under the Assumption  $H_0$  Is True

$$e_{ij} = \frac{(\text{Row } i \text{ Total})(\text{Column } j \text{ Total})}{\text{Sample Size}}$$

Chi-Square Test Statistic

$$\chi^2 = \sum_i \sum_j \frac{(f_{ij} - e_{ij})^2}{e_{ij}}$$

Chi-Square Test Statistic for the Goodness of Fit Test

$$\chi^2 = \sum_i \frac{(f_i - e_i)^2}{e_i}$$

### Analysis of Variance

Overall Sample Mean

$$\bar{x} = \frac{\sum_{i=1}^k \sum_{j=1}^{n_i} x_{ij}}{n_T}$$

$$n_T = n_1 + n_2 + \dots + n_k$$

Mean Square Due to Treatments

$$MSTR = \frac{SSTR}{k-1}$$

Sum of Squares Due to Treatments

$$SSTR = \sum_{j=1}^k n_j (\bar{x}_j - \bar{x})^2$$

Mean Square Due to Error

$$MSE = \frac{SSE}{n_T - k}$$

Sum of Squares Due to Error

$$SSE = \sum_{j=1}^k (n_j - 1) s_j^2$$

Test Statistic for the Equality of  $k$  Population Means

$$F = \frac{MSTR}{MSE}$$

### Simple Linear Regression

Estimated Simple Linear Regression Equation

$$\hat{y} = b_0 + b_1 x$$

Least Squares Criterion


$$\min \sum (y_i - \hat{y}_i)^2$$

Slope and  $y$ -Intercept for the Estimated Regression Equation

$$b_1 = \frac{\sum (x_i - \bar{x})(y_i - \bar{y})}{\sum (x_i - \bar{x})^2}$$

$$b_0 = \bar{y} - b_1 \bar{x}$$


## Standard Normal Cumulative Probability Table



Cumulative probabilities for NEGATIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

## Standard Normal Cumulative Probability Table



Cumulative probabilities for POSITIVE z-values are shown in the following table:

z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998

Critical Values for Student's *t*-Distribution.



df	Upper Tail Probability: $Pr(T > t)$									
	0.2	0.1	0.05	0.04	0.03	0.025	0.02	0.01	0.005	0.0005
1	1.378	3.078	6.314	7.916	10.579	12.706	15.895	31.821	63.657	639.619
2	1.061	1.886	2.920	3.320	3.890	4.303	4.849	6.965	9.925	31.599
3	0.978	1.638	2.353	2.605	2.951	3.182	3.482	4.541	5.841	12.924
4	0.941	1.533	2.132	2.333	2.601	2.776	2.999	3.747	4.604	8.610
5	0.920	1.476	2.015	2.191	2.432	2.571	2.757	3.365	4.032	6.899
6	0.906	1.440	1.943	2.104	2.313	2.447	2.612	3.143	3.707	5.959
7	0.896	1.415	1.895	2.046	2.241	2.365	2.517	2.998	3.499	5.408
8	0.889	1.397	1.860	2.004	2.189	2.306	2.449	2.896	3.355	5.041
9	0.883	1.383	1.833	1.973	2.150	2.262	2.398	2.821	3.250	4.761
10	0.879	1.372	1.812	1.948	2.120	2.228	2.359	2.784	3.189	4.587
11	0.876	1.363	1.796	1.928	2.098	2.201	2.328	2.718	3.106	4.437
12	0.873	1.356	1.782	1.912	2.076	2.179	2.303	2.681	3.055	4.318
13	0.870	1.350	1.771	1.899	2.060	2.160	2.282	2.650	3.012	4.221
14	0.868	1.345	1.761	1.887	2.046	2.145	2.264	2.624	2.977	4.140
15	0.866	1.341	1.753	1.878	2.034	2.131	2.249	2.602	2.947	4.073
16	0.865	1.337	1.746	1.869	2.024	2.120	2.235	2.583	2.921	4.016
17	0.863	1.333	1.740	1.862	2.015	2.110	2.224	2.567	2.898	3.965
18	0.862	1.330	1.734	1.855	2.007	2.101	2.214	2.552	2.878	3.922
19	0.861	1.328	1.729	1.850	2.000	2.093	2.205	2.539	2.861	3.883
20	0.860	1.325	1.725	1.844	1.994	2.086	2.197	2.528	2.845	3.850
21	0.859	1.323	1.721	1.840	1.988	2.080	2.189	2.518	2.831	3.819
22	0.858	1.321	1.717	1.835	1.983	2.074	2.183	2.508	2.819	3.792
23	0.858	1.319	1.714	1.832	1.978	2.069	2.177	2.500	2.807	3.768
24	0.857	1.318	1.711	1.828	1.974	2.064	2.172	2.492	2.797	3.745
25	0.856	1.316	1.708	1.825	1.970	2.060	2.167	2.485	2.787	3.725
26	0.856	1.315	1.706	1.822	1.967	2.056	2.162	2.479	2.779	3.707
27	0.855	1.314	1.703	1.819	1.963	2.052	2.158	2.473	2.771	3.690
28	0.855	1.313	1.701	1.817	1.960	2.048	2.154	2.467	2.763	3.674
29	0.854	1.311	1.699	1.814	1.957	2.045	2.150	2.462	2.756	3.659
30	0.854	1.310	1.697	1.812	1.955	2.042	2.147	2.457	2.750	3.646
31	0.853	1.309	1.696	1.810	1.952	2.040	2.144	2.453	2.744	3.633
32	0.853	1.309	1.694	1.808	1.950	2.037	2.141	2.449	2.738	3.622
33	0.853	1.308	1.692	1.806	1.948	2.035	2.138	2.445	2.733	3.611
34	0.852	1.307	1.691	1.805	1.946	2.032	2.136	2.441	2.728	3.601
35	0.852	1.306	1.690	1.803	1.944	2.030	2.133	2.438	2.724	3.591
36	0.852	1.306	1.688	1.802	1.942	2.028	2.131	2.434	2.719	3.582
37	0.851	1.305	1.687	1.800	1.940	2.026	2.129	2.431	2.715	3.574
38	0.851	1.304	1.686	1.799	1.939	2.024	2.127	2.429	2.712	3.568
39	0.851	1.304	1.685	1.798	1.937	2.023	2.125	2.426	2.706	3.558
40	0.851	1.303	1.684	1.796	1.936	2.021	2.123	2.423	2.704	3.551
41	0.850	1.303	1.683	1.795	1.934	2.020	2.121	2.421	2.701	3.544
42	0.850	1.302	1.682	1.794	1.933	2.018	2.120	2.418	2.698	3.538
43	0.850	1.302	1.681	1.793	1.932	2.017	2.118	2.416	2.695	3.532
44	0.850	1.301	1.680	1.792	1.931	2.015	2.116	2.414	2.692	3.526
45	0.850	1.301	1.679	1.791	1.929	2.014	2.115	2.412	2.690	3.520
46	0.850	1.300	1.679	1.790	1.928	2.013	2.114	2.410	2.687	3.515
47	0.849	1.300	1.678	1.789	1.927	2.012	2.112	2.408	2.685	3.510
48	0.849	1.299	1.677	1.789	1.926	2.011	2.111	2.407	2.682	3.505
49	0.849	1.299	1.677	1.788	1.925	2.010	2.110	2.405	2.680	3.500
50	0.849	1.299	1.676	1.787	1.924	2.009	2.109	2.403	2.678	3.496
60	0.848	1.298	1.675	1.786	1.917	2.000	2.099	2.399	2.660	3.460
70	0.847	1.294	1.667	1.776	1.912	1.994	2.093	2.381	2.648	3.435
80	0.846	1.292	1.664	1.773	1.908	1.990	2.088	2.374	2.639	3.416
90	0.846	1.291	1.662	1.771	1.905	1.987	2.084	2.368	2.632	3.402
100	0.845	1.290	1.660	1.769	1.902	1.984	2.081	2.364	2.626	3.390
120	0.845	1.289	1.658	1.766	1.899	1.980	2.078	2.358	2.617	3.373
140	0.844	1.288	1.656	1.763	1.896	1.977	2.075	2.353	2.611	3.361
180	0.844	1.286	1.653	1.761	1.893	1.973	2.069	2.347	2.603	3.345
200	0.843	1.286	1.653	1.760	1.892	1.972	2.067	2.345	2.601	3.340
500	0.842	1.283	1.648	1.754	1.885	1.965	2.059	2.334	2.586	3.310
1000	0.842	1.282	1.646	1.752	1.883	1.962	2.056	2.330	2.581	3.300
∞	0.842	1.282	1.645	1.751	1.881	1.960	2.054	2.326	2.576	3.291
	60%	80%	90%	92%	94%	95%	96%	98%	99%	99.9%
	Confidence Level									

Notes:  $t(\infty)_{\alpha/2} = Z_{\alpha/2}$  in our notation.

F Distribution Table

d.f.N. = degrees of freedom in numerator  
 d.f.D. = degrees of freedom in denominator

d.f.N.	α = 0.005																			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞	
1	162.11	20000	21615	22500	23056	23437	23715	23925	24091	24224	24426	24630	24836	24940	25044	25148	25253	25359	25465	
2	198.5	199.0	199.2	199.3	199.3	199.3	199.4	199.4	199.4	199.4	199.4	199.4	199.4	199.5	199.5	199.5	199.5	199.5	199.5	
3	55.55	49.80	47.47	46.19	45.39	44.84	44.43	44.13	43.88	43.69	43.53	43.40	43.28	43.18	43.10	43.03	42.97	42.91	42.86	
4	31.33	26.28	24.26	23.15	22.46	21.97	21.62	21.35	21.14	20.97	20.70	20.44	20.17	20.03	19.89	19.75	19.61	19.47	19.32	
5	22.78	18.31	16.53	15.36	14.54	14.01	13.62	13.35	13.15	12.97	12.78	12.59	12.40	12.27	12.14	12.00	11.87	11.74	11.61	
6	18.63	14.54	12.92	12.03	11.46	11.07	10.79	10.57	10.39	10.25	10.03	9.81	9.59	9.47	9.36	9.24	9.12	9.00	8.88	
7	16.24	12.40	10.88	10.05	9.52	9.16	8.89	8.68	8.51	8.38	8.18	7.97	7.75	7.65	7.53	7.42	7.31	7.19	7.08	
8	14.69	11.04	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21	7.01	6.81	6.61	6.50	6.40	6.29	6.18	6.06	5.95	
9	13.61	10.11	8.72	7.96	7.47	7.13	6.88	6.69	6.54	6.42	6.23	6.03	5.83	5.73	5.62	5.52	5.41	5.30	5.19	
10	12.83	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85	5.66	5.47	5.27	5.17	5.07	4.97	4.86	4.75	4.64	
11	12.23	8.91	7.60	6.88	6.42	6.10	5.86	5.68	5.54	5.42	5.24	5.05	4.86	4.76	4.65	4.55	4.44	4.34	4.23	
12	11.75	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20	5.09	4.91	4.72	4.53	4.43	4.33	4.23	4.12	4.01	3.90	
13	11.37	8.19	6.93	6.23	5.79	5.48	5.25	5.08	4.94	4.82	4.64	4.46	4.27	4.17	4.07	3.97	3.87	3.76	3.65	
14	11.06	7.92	6.68	6.00	5.56	5.26	5.03	4.86	4.72	4.60	4.43	4.25	4.07	3.96	3.86	3.76	3.66	3.55	3.44	
15	10.80	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42	4.25	4.07	3.89	3.78	3.68	3.58	3.48	3.37	3.26	
16	10.58	7.51	6.30	5.64	5.21	4.91	4.69	4.52	4.38	4.27	4.10	3.92	3.73	3.64	3.54	3.44	3.33	3.22	3.11	
17	10.38	7.35	6.16	5.50	5.07	4.78	4.56	4.39	4.25	4.14	3.97	3.79	3.61	3.51	3.41	3.31	3.21	3.10	2.98	
18	10.22	7.21	6.03	5.37	4.96	4.66	4.44	4.28	4.14	4.03	3.86	3.68	3.50	3.40	3.30	3.20	3.10	2.99	2.87	
19	10.07	7.09	5.92	5.27	4.85	4.56	4.34	4.18	4.04	3.93	3.76	3.59	3.40	3.31	3.21	3.11	3.00	2.89	2.78	
20	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85	3.68	3.50	3.32	3.22	3.12	3.02	2.92	2.81	2.69	
21	9.83	6.89	5.73	5.09	4.68	4.39	4.18	4.01	3.88	3.77	3.60	3.43	3.24	3.15	3.05	2.95	2.84	2.73	2.61	
22	9.73	6.81	5.65	5.02	4.61	4.32	4.11	3.94	3.81	3.70	3.54	3.36	3.18	3.08	2.98	2.88	2.77	2.66	2.55	
23	9.63	6.73	5.58	4.95	4.54	4.26	4.05	3.88	3.75	3.64	3.47	3.30	3.12	3.02	2.92	2.82	2.71	2.60	2.48	
24	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69	3.59	3.42	3.25	3.06	2.97	2.87	2.77	2.66	2.55	2.43	
25	9.48	6.60	5.46	4.84	4.43	4.15	3.94	3.78	3.63	3.54	3.37	3.20	3.01	2.92	2.82	2.72	2.61	2.50	2.38	
26	9.41	6.54	5.41	4.79	4.38	4.10	3.89	3.73	3.60	3.49	3.33	3.15	2.97	2.87	2.77	2.67	2.56	2.45	2.33	
27	9.34	6.49	5.36	4.74	4.34	4.06	3.85	3.69	3.56	3.45	3.28	3.11	2.93	2.83	2.73	2.63	2.52	2.41	2.29	
28	9.28	6.44	5.32	4.70	4.30	4.02	3.81	3.65	3.52	3.41	3.25	3.07	2.89	2.79	2.69	2.59	2.48	2.37	2.25	
29	9.23	6.40	5.28	4.66	4.26	3.98	3.77	3.61	3.48	3.38	3.21	3.04	2.86	2.76	2.66	2.56	2.45	2.33	2.24	
30	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34	3.18	3.01	2.82	2.73	2.63	2.52	2.42	2.30	2.18	
40	8.83	6.07	4.98	4.37	3.99	3.71	3.51	3.35	3.22	3.12	2.95	2.78	2.60	2.50	2.40	2.30	2.18	2.06	1.93	
60	8.49	5.79	4.73	4.14	3.76	3.49	3.29	3.13	3.01	2.90	2.74	2.57	2.39	2.29	2.19	2.08	1.96	1.83	1.69	
120	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	2.71	2.54	2.37	2.19	2.09	1.98	1.87	1.75	1.61	1.43	
∞	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62	2.52	2.36	2.19	2.00	1.90	1.79	1.67	1.53	1.36	1.00	

# F Distribution Table

d.f.1	$\alpha = 0.01$																		
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	$\infty$
1	4052	4999.5	5403	5625	5764	5859	5928	5982	6022	6056	6106	6157	6209	6235	6261	6287	6313	6339	6366
2	98.50	99.00	99.17	99.25	99.30	99.33	99.36	99.37	99.39	99.40	99.42	99.43	99.45	99.46	99.47	99.47	99.48	99.49	99.50
3	34.12	30.82	29.46	28.71	28.24	27.91	27.67	27.49	27.35	27.23	27.05	26.87	26.69	26.60	26.50	26.41	26.32	26.22	26.13
4	21.20	18.00	16.69	15.98	15.52	15.21	14.98	14.80	14.66	14.55	14.37	14.20	14.02	13.93	13.84	13.75	13.65	13.56	13.46
5	16.26	13.27	12.06	11.39	10.97	10.67	10.46	10.29	10.16	10.05	9.89	9.72	9.55	9.47	9.38	9.29	9.20	9.11	9.02
6	13.75	10.92	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.31	7.23	7.14	7.06	6.97	6.88
7	12.25	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	6.07	5.99	5.91	5.82	5.74	5.65
8	11.26	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.28	5.20	5.12	5.03	4.95	4.86
9	10.56	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.73	4.65	4.57	4.48	4.40	4.31
10	10.04	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.33	4.25	4.17	4.08	4.00	3.91
11	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.40	4.25	4.10	4.02	3.94	3.86	3.78	3.69	3.60
12	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.78	3.70	3.62	3.54	3.45	3.36
13	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	3.96	3.82	3.66	3.59	3.51	3.43	3.34	3.25	3.17
14	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.80	3.66	3.51	3.43	3.35	3.27	3.18	3.09	3.00
15	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.29	3.21	3.13	3.05	2.96	2.87
16	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.55	3.41	3.26	3.18	3.10	3.02	2.93	2.84	2.75
17	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.46	3.31	3.16	3.08	3.00	2.92	2.83	2.75	2.65
18	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.37	3.23	3.08	3.00	2.92	2.84	2.75	2.66	2.57
19	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.30	3.15	3.00	2.92	2.84	2.76	2.67	2.58	2.49
20	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.86	2.78	2.69	2.61	2.52	2.42
21	8.02	5.78	4.87	4.37	4.04	3.81	3.64	3.51	3.40	3.31	3.17	3.03	2.88	2.80	2.72	2.64	2.55	2.46	2.36
22	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.12	2.98	2.83	2.75	2.67	2.58	2.50	2.40	2.31
23	7.88	5.66	4.76	4.26	3.94	3.71	3.54	3.41	3.30	3.21	3.07	2.93	2.78	2.70	2.62	2.54	2.45	2.35	2.26
24	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.03	2.89	2.74	2.66	2.58	2.49	2.40	2.31	2.21
25	7.77	5.57	4.68	4.18	3.85	3.63	3.46	3.32	3.22	3.13	2.99	2.85	2.70	2.62	2.54	2.45	2.36	2.27	2.17
26	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	2.96	2.81	2.66	2.58	2.50	2.42	2.33	2.23	2.13
27	7.68	5.49	4.60	4.11	3.78	3.56	3.39	3.26	3.15	3.06	2.93	2.78	2.63	2.55	2.47	2.38	2.29	2.20	2.10
28	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.90	2.75	2.60	2.52	2.44	2.35	2.26	2.17	2.06
29	7.60	5.42	4.54	4.04	3.73	3.50	3.33	3.20	3.09	3.00	2.87	2.73	2.57	2.49	2.41	2.33	2.23	2.14	2.03
30	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.47	2.39	2.30	2.21	2.11	2.01
40	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.66	2.52	2.37	2.29	2.20	2.11	2.02	1.92	1.80
60	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.12	2.03	1.94	1.84	1.73	1.60
120	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.95	1.86	1.76	1.66	1.53	1.38
$\infty$	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.18	2.04	1.88	1.79	1.70	1.59	1.47	1.32	1.00

F Distribution Table

d.f.D	$\alpha = 0.025$																			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	$\infty$	
1	647.8	799.5	864.2	899.6	921.8	937.1	948.2	956.7	963.3	968.6	976.7	984.9	993.1	997.2	1001	1006	1010	1014	1018	
2	38.51	39.00	39.17	39.25	39.30	39.33	39.36	39.37	39.39	39.40	39.41	39.43	39.45	39.46	39.46	39.47	39.48	39.49	39.50	
3	17.44	16.04	15.44	15.10	14.88	14.73	14.62	14.54	14.47	14.42	14.34	14.25	14.17	14.12	14.08	14.04	13.99	13.95	13.90	
4	12.22	10.65	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.51	8.46	8.41	8.36	8.31	8.26	
5	10.01	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.28	6.23	6.18	6.12	6.07	6.02	
6	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.12	5.07	5.01	4.96	4.90	4.85	
7	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.42	4.36	4.31	4.25	4.20	4.14	
8	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.95	3.89	3.84	3.78	3.73	3.67	
9	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.61	3.56	3.51	3.45	3.39	3.33	
10	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.37	3.31	3.26	3.20	3.14	3.08	
11	6.72	5.26	4.63	4.28	4.04	3.88	3.76	3.66	3.59	3.53	3.43	3.33	3.23	3.17	3.12	3.06	3.00	2.94	2.88	
12	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	3.02	2.96	2.91	2.85	2.79	2.72	
13	6.41	4.97	4.35	4.00	3.77	3.60	3.48	3.39	3.31	3.25	3.15	3.05	2.95	2.89	2.84	2.78	2.72	2.66	2.60	
14	6.30	4.86	4.24	3.89	3.66	3.50	3.38	3.29	3.21	3.15	3.05	2.95	2.84	2.79	2.73	2.67	2.61	2.55	2.49	
15	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.70	2.64	2.59	2.52	2.46	2.40	
16	6.12	4.69	4.08	3.73	3.50	3.34	3.22	3.12	3.05	2.99	2.89	2.79	2.68	2.63	2.57	2.51	2.45	2.38	2.32	
17	6.04	4.62	4.01	3.66	3.44	3.28	3.16	3.06	2.98	2.92	2.82	2.72	2.62	2.56	2.50	2.44	2.38	2.32	2.25	
18	5.98	4.56	3.95	3.61	3.38	3.22	3.10	3.01	2.93	2.87	2.77	2.67	2.56	2.50	2.44	2.38	2.32	2.26	2.19	
19	5.92	4.51	3.90	3.55	3.33	3.17	3.05	2.96	2.88	2.82	2.72	2.62	2.51	2.45	2.39	2.33	2.27	2.20	2.13	
20	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.41	2.35	2.29	2.22	2.16	2.09	
21	5.83	4.42	3.82	3.48	3.25	3.09	2.97	2.87	2.80	2.73	2.64	2.53	2.42	2.37	2.31	2.25	2.18	2.11	2.04	
22	5.79	4.38	3.78	3.44	3.22	3.05	2.93	2.84	2.76	2.70	2.60	2.50	2.39	2.33	2.27	2.21	2.14	2.08	2.00	
23	5.75	4.35	3.75	3.41	3.18	3.02	2.90	2.81	2.73	2.67	2.57	2.47	2.36	2.30	2.24	2.18	2.11	2.04	1.97	
24	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70	2.64	2.54	2.44	2.33	2.27	2.21	2.15	2.08	2.01	1.94	
25	5.69	4.29	3.69	3.35	3.13	2.97	2.85	2.75	2.68	2.61	2.51	2.41	2.30	2.24	2.18	2.12	2.05	1.98	1.91	
26	5.66	4.27	3.67	3.33	3.10	2.94	2.82	2.73	2.65	2.59	2.49	2.39	2.28	2.22	2.16	2.09	2.03	1.95	1.88	
27	5.63	4.24	3.65	3.31	3.08	2.92	2.80	2.71	2.63	2.57	2.47	2.36	2.25	2.19	2.13	2.07	2.00	1.93	1.85	
28	5.61	4.22	3.63	3.29	3.06	2.90	2.78	2.69	2.61	2.55	2.45	2.34	2.23	2.17	2.11	2.05	1.98	1.91	1.83	
29	5.59	4.20	3.61	3.27	3.04	2.88	2.76	2.67	2.59	2.53	2.43	2.32	2.21	2.15	2.09	2.03	1.96	1.89	1.81	
30	5.57	4.18	3.60	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.14	2.07	2.01	1.94	1.87	1.79	
40	5.42	4.05	3.46	3.13	2.90	2.74	2.62	2.53	2.45	2.39	2.29	2.18	2.07	2.01	1.94	1.88	1.80	1.72	1.64	
60	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.88	1.82	1.74	1.67	1.58	1.48	
120	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.76	1.69	1.61	1.53	1.43	1.31	
$\infty$	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.64	1.57	1.48	1.39	1.27	1.00	

F Distribution Table

d.f.D		$\alpha = 0.05$																			
		1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	$\infty$	
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3	254.3	
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50	19.50	
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53	8.53	
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63	5.63	
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.55	4.53	4.50	4.46	4.43	4.40	4.36	4.36	
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67	3.67	
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23	3.23	
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93	2.93	
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71	2.71	
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54	2.54	
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40	2.40	
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.39	2.34	2.30	2.30	
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21	2.21	
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13	2.13	
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07	2.07	
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01	2.01	
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96	1.96	
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92	1.92	
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88	1.88	
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84	1.84	
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81	1.81	
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.02	1.98	1.94	1.89	1.84	1.78	1.78	
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.75	1.75	
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73	1.73	
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71	1.71	
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69	1.69	
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67	1.67	
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65	1.65	
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64	1.64	
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62	1.62	
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51	1.51	
60	4.00	3.15	2.76	2.52	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39	1.39	
100	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25	1.25	
$\infty$	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00	1.00	

F Distribution Table

d.f.N.	α = 0.10																			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞	
1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33	
2	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.49	
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13	
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76	
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10	
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72	
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47	
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29	
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16	
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.15	2.13	2.11	2.08	2.06	
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97	
12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90	
13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85	
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80	
15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76	
16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72	
17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69	
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66	
19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63	
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61	
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.88	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59	
22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57	
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55	
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.60	1.57	1.53	
25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52	
26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50	
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49	
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48	
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47	
30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46	
40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38	
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29	
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19	
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00	