



UNIVERSITI KUALA LUMPUR
MALAYSIAN INSTITUTE OF CHEMICAL AND BIO-ENGINEERING TECHNOLOGY

FINAL EXAMINATION
OCTOBER 2025 SEMESTER

COURSE CODE : CLD21002
COURSE TITLE : STATISTICS
PROGRAMME NAME : DIPLOMA IN CHEMICAL ENGINEERING TECHNOLOGY (FOOD)
DATE : 29 JANUARY 2026
TIME : 9:00AM - 10:00AM
DURATION : 1 HOURS

INSTRUCTIONS TO CANDIDATES

1. Please read the instructions given in the question paper CAREFULLY.
2. This question paper is printed on both sides of the paper.
3. This question paper consist of TWO sections.
4. Section A consist total of 60 marks. Answer ALL questions.
5. Section B consist of three questions. Answer TWO (2) questions only.
6. Please write your answer on the answer booklet provided.
7. Please answer all questions in English only.
8. Refer to the attached Formula/ Appendies. ☐ Tick if applicable

THERE ARE 10 PAGES OF QUESTIONS INCLUDING THIS PAGE

SECTION A (Total: 60 marks)

Answer ALL questions.

Please use the answer booklet provided.

Question 1

A bioengineering research team studies the relationship between substrate concentration (mmol/L) and enzyme reaction rate ($\mu\text{mol/min}$) to analyse enzyme performance. The data of substrate concentration and the corresponding reaction rate are shown in Table 1.

Refer Below - Table 1 : Substrate concentration and enzyme reaction rates .

Table 1: Substrate concentration and enzyme reaction rates

Substrate Concentration (x)	Reaction Rate (y)
5	16.4
10	18.9
15	24.6
20	26.8
25	34.1
30	40.5
35	42.0
40	45.3

- (a) Calculate the least squares regression line to predict the reaction rate based on substrate concentration.

Given: $\sum x^2 = 5100$, $\sum y^2 = 8568.72$, $\sum xy = 6525.5$

(11 marks)

- (b) Estimate the enzyme reaction rate when the substrate concentration is 38 mmol/L.

(2 marks)

- (c) Determine the correlation coefficient (r) between substrate concentration and reaction rate.

(5 marks)

- (d) Identify the relationship between substrate concentration and reaction rate.

(2 marks)

Question 2

Answer the following questions.

- (a) The viscosity of two different brands of car oil is measured, and the corresponding MINITAB output is presented in Figure 1. Based on the P-value, test the hypothesis that the mean viscosity of the two brands is equal by using 1% significance level.

Refer Below - Figure1 : MINITAB output .

(5 marks)

Two-Sample T-Test and CI: Brand 1, Brand 2				
Two-sample T for Brand 1 vs Brand 2				
	N	Mean	StDev	SE Mean
Brand 1	6	10.572	0.160	0.065
Brand 2	7	10.5443	0.0428	0.016
Difference = mu (Brand 1) - mu (Brand 2)				
Estimate for difference: 0.0274				
99% CI for difference: (-0.2444, 0.2992)				
T-Test of difference = 0 (vs not =): T-Value = 0.41 P-Value = 0.701 DF = 5				

Figure 1: MINITAB output

- (b) A chemical company is investigating the effect of three different chemical concentrations (X, Y, and Z) on the reaction time (in minutes) required for a particular chemical reaction to complete. The reaction times from several trials for each concentration are analysed, and the relevant MINITAB output is shown in Figure 2.

Refer Below - Figure2 : MINITAB output .




Figure 2: MINITAB output

- Calculate the values of A and B.
(5 marks)
- Determine whether there is sufficient evidence to conclude that the mean reaction times differ among the three concentrations at the 5% significance level, by referring to the P-value.
(5 marks)
- Calculate the 90% confidence interval for the mean concentration of chemical X.
(5 marks)

Question 3

Answer the following questions.

- (a) A machine produces a metal rod used in an automobile suspension system. A random sample of 10 rods is selected, and the diameter (in mm) is measured for each rod. The MINITAB output is shown in Figure 3.

Refer Below - Figure3 : MINITAB output .

One-Sample T: Diameter							
Test of mu = 8.2 vs < 8.2							
Variable	N	Mean	StDev	SE Mean	95% Upper Bound	T	P
Diameter	10	8.22800	0.02860	0.00904	8.24458		0.994

Figure 3: MINITAB output

- i. Based on the P-value, test the hypothesis that there is strong evidence to indicate the mean rod diameter is at least 8.20 mm by using 5% significance level.
- (5 marks)
- ii. Construct the 90% confidence interval for the mean rod diameter.
- (5 marks)
- (b) A company is comparing the efficiency of two manufacturing machines used to produce metal parts. A random sample of 8 parts is tested using both machines, and the production times for both machines are measured. and the corresponding MINITAB output is presented in Figure 4.

Refer Below - Figure4 : MINITAB output .

Paired T-Test and CI: Machine 1, Machine 2

Paired T for Machine 1 - Machine 2

	N	Mean	StDev	SE Mean
Machine 1	8	24.1250	0.2493	0.0881
Machine 2	8	22.8500	0.2449	0.0866
Difference	8	1.2750	0.1581	0.0559

95% CI for mean difference: (1.1428, 1.4072)

T-Test of mean difference = 0 (vs not = 0): T-Value = 22.81 P-Value = 0.000

Figure 4: MINITAB output

- i. Show the 95% confidence interval for the mean difference in production times between Machine 1 and Machine 2, as given in the output.
(5 marks)
- ii. Determine whether the mean production times of Machine 1 and Machine 2 are equal at the 5% significance level, based on the P-value.
(5 marks)

SECTION B (Total: 40 marks)

Answer TWO (2) questions only.

Please use the answer booklet provided.

Question 1

A manufacturing company produces precision steel rods used in the automotive industry. The diameters of the steel rods produced by the company are known to be normally distributed with a mean diameter of 25.0 mm and a standard deviation of 0.8 mm. To ensure product quality, any rod with a diameter less than 23.5 mm or greater than 26.8 mm is considered defective.

- (a) Calculate the percentage a randomly selected steel rod is defective.

(8 marks)

- (b) Determine the percentage of steel rods with diameters greater than 24.5mm.

(6 marks)

- (c) A quality control inspector randomly selects a sample of 36 steel rods from a large production batch. Calculate the probability that the sample mean diameter lies between 24.7mm and 25.3mm.

(6 marks)

Question 2

The thickness of a coating applied to metal sheets is approximately normally distributed. A random sample of 10 metal sheets yielded the following coating thicknesses (in micrometres)

20.1 19.8 20.3 19.9 20.5 20.0 19.7 20.2 20.4 19.8

- (a) Construct the 90% confidence interval for the mean thickness of the coating on the metal sheets.

(8 marks)

- (b) Test at 5% significance level to support the claim that the mean thickness of the coating exceeds 19.5 micrometres.

(12 marks)

Question 3

A dairy company wants to determine whether vacuum packing extends the shelf life of cheese compared to regular plastic wrapping. The shelf life (in days before spoilage) of cheese under both methods is recorded in Table 2. Assume the shelf life is normally distributed and the two populations have equal variances.

Refer Below - Table2 : Shelf life of cheese .

Table 2: Shelf life of cheese

Vacuum Packed	Plastic Wrapped
32	29
34	30
35	31
33	28
36	30
34	29
33	30

- (a) Construct the 95% confidence interval for the mean difference in shelf life between the two storage methods.

(12 marks)

- (b) Perform the hypothesis test at 1% significance level to assess whether the mean shelf life differs between the two storage methods.

(8 marks)

END OF EXAMINATION PAPER

APPENDIX

Binomial	$P(X = x) = {}^nC_x p^x q^{n-x}; \quad E(x) = np$
Poisson	$P(X = x) = \frac{e^{-\lambda} \lambda^x}{x!}$
Normal	$z = \frac{\bar{x} - \mu}{\sigma}$
Confidence interval	$\bar{x} \pm z_{\frac{\alpha}{2}} \frac{\sigma}{\sqrt{n}}$
	$\bar{x} \pm t_{\frac{\alpha}{2}, v} \frac{s}{\sqrt{n}} \quad ; v = n - 1$
	$(\bar{x}_1 - \bar{x}_2) \pm z_{\frac{\alpha}{2}} \sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}} \quad @ \quad (\bar{x}_1 - \bar{x}_2) \pm z_{\frac{\alpha}{2}} \sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}$
	$(\bar{x}_1 - \bar{x}_2) \pm t_{\frac{\alpha}{2}, v} \sqrt{s_p^2 \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}; \quad s_p^2 = \frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2} \quad ;$ $v = n_1 + n_2 - 2$
	$\bar{x} \pm t_{\frac{\alpha}{2}, n-a} \sqrt{\frac{MSE}{n_i}}$
	$\bar{x}_1 - \bar{x}_2 \pm t_{\frac{\alpha}{2}, n-a} \sqrt{\frac{2MSE}{n_i}} \quad @ \quad \bar{x}_1 - \bar{x}_2 \pm t_{\frac{\alpha}{2}, n-a} \sqrt{MSE \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}$
Test statistics	$z = \frac{\bar{x} - \mu}{\frac{\sigma}{\sqrt{n}}}$
	$t = \frac{\bar{x} - \mu}{\frac{s}{\sqrt{n}}} \quad ; v = n - 1$
	$z = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{\sigma_1^2}{n_1} + \frac{\sigma_2^2}{n_2}}} \quad @ \quad z = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}$

	$t = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{s_p^2 \left(\frac{1}{n_1} + \frac{1}{n_2} \right)}}; s_p^2 = \frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2}; v = n_1 + n_2 - 2$
	$t = \frac{(\bar{x}_1 - \bar{x}_2) - (\mu_1 - \mu_2)}{\sqrt{\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2}}}; v = \frac{\left(\frac{s_1^2}{n_1} + \frac{s_2^2}{n_2} \right)^2}{\frac{\left(\frac{s_1^2}{n_1} \right)^2}{n_1 - 1} + \frac{\left(\frac{s_2^2}{n_2} \right)^2}{n_2 - 1}}$
	$t = \frac{\bar{d} - \mu_d}{\frac{s_d}{\sqrt{n}}}; v = n - 1; d = x_1 - x_2$
Analysis of Variance (ANOVA)	$SSA = \sum \left[\frac{(\sum x_i)^2}{n_i} \right] - \frac{(\sum \sum x_{ij})^2}{n}$ $SST = \sum \sum x_{ij}^2 - \frac{(\sum \sum x_{ij})^2}{n}; SSE = SST - SSA$
Regression model	$\hat{y} = \hat{\beta}_0 + \hat{\beta}_1 x$ $\hat{\beta}_1 = \frac{S_{xy}}{S_{xx}}; \hat{\beta}_0 = \bar{y} - \hat{\beta}_1 \bar{x}$ $S_{xx} = \sum x_i^2 - \frac{(\sum x_i)^2}{n}; S_{yy} = \sum y_i^2 - \frac{(\sum y_i)^2}{n}; S_{xy} = \sum x_i y_i - \frac{(\sum x_i)(\sum y_i)}{n}$
correlation coefficient	$r = \frac{S_{xy}}{\sqrt{S_{xx} S_{yy}}}$

NORMAL DISTRIBUTION FUNCTION




TABLE A1 *Standard Normal Distribution Function:* $\Phi(x) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^x e^{-y^2/2} dy$


<i>x</i>	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

PERCENTAGE POINTS OF THE NORMAL DISTRIBUTION

This table gives percentage points $x(P)$ defined by the equation

$$\frac{P}{100} = \frac{1}{\sqrt{2\pi}} \int_{x(P)}^{\infty} e^{-t^2/2} dt.$$

If X is a variable, normally distributed with zero mean and unit variance, $P/100$ is the probability that $X \geq x(P)$. The lower P per cent points are given by symmetry as $-x(P)$, and the probability that $|X| \geq x(P)$ is $2P/100$.




P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$	P	$x(P)$
50	0.0000	5.0	1.6449	3.0	1.8808	2.0	2.0537	1.0	2.3263	0.10	3.0902
45	0.1257	4.8	1.6646	2.9	1.8957	1.9	2.0749	0.9	2.3656	0.09	3.1214
40	0.2533	4.6	1.6849	2.8	1.9110	1.8	2.0969	0.8	2.4089	0.08	3.1559
35	0.3853	4.4	1.7060	2.7	1.9268	1.7	2.1201	0.7	2.4573	0.07	3.1947
30	0.5244	4.2	1.7279	2.6	1.9431	1.6	2.1444	0.6	2.5121	0.06	3.2389
25	0.6745	4.0	1.7507	2.5	1.9600	1.5	2.1701	0.5	2.5758	0.05	3.2905
20	0.8416	3.8	1.7744	2.4	1.9774	1.4	2.1973	0.4	2.6521	0.01	3.7190
15	1.0364	3.6	1.7991	2.3	1.9954	1.3	2.2262	0.3	2.7478	0.005	3.8906
10	1.2816	3.4	1.8250	2.2	2.0141	1.2	2.2571	0.2	2.8782	0.001	4.2649
5	1.6449	3.2	1.8522	2.1	2.0335	1.1	2.2904	0.1	3.0902	0.0005	4.4172

PERCENTAGE POINTS OF THE t-DISTRIBUTION

This table gives percentage points $t_p(P)$ defined by the equation

$$\frac{P}{100} = \frac{1}{\sqrt{\nu\pi}} \frac{\Gamma(\frac{1}{2}\nu + \frac{1}{2})}{\Gamma(\frac{1}{2}\nu)} \int_{t_p(P)}^{\infty} \frac{1}{(1+t^2/\nu)^{(\nu+1)/2}} dt$$

Let X_1 and X_2 be independent random variables having a normal distribution with zero mean and unit variance and a χ^2 -distribution with ν degrees of freedom respectively; then $t = X_1/\sqrt{X_2/\nu}$ has Student's t -distribution with ν degrees of freedom, and the probability that $t \geq t_p(P)$ is $P/100$. The lower percentage points are given by symmetry as $-t_p(P)$, and the probability that $|t| \geq t_p(P)$ is $2P/100$.



The limiting distribution of t as ν tends to infinity is the normal distribution with zero mean and unit variance. When ν is large interpolation in ν should be harmonic.

P	40	30	25	20	15	10	5	2.5	1	0.5	0.1	0.05
$\nu = 1$	0.3249	0.7265	1.0000	1.3764	1.963	3.078	6.314	12.71	31.82	63.66	318.3	636.6
2	0.2887	0.6172	0.8165	1.0607	1.386	1.886	2.920	4.303	6.965	9.925	22.33	31.60
3	0.2767	0.5844	0.7649	0.9785	1.250	1.638	2.353	3.182	4.541	5.841	10.21	12.92
4	0.2707	0.5686	0.7407	0.9410	1.190	1.533	2.132	2.776	3.747	4.604	7.173	8.610
5	0.2672	0.5594	0.7267	0.9195	1.156	1.476	2.015	2.571	3.365	4.032	5.893	6.869
6	0.2648	0.5534	0.7176	0.9057	1.134	1.440	1.943	2.447	3.143	3.707	5.208	5.959
7	0.2632	0.5491	0.7111	0.8960	1.119	1.415	1.895	2.365	2.998	3.499	4.785	5.408
8	0.2619	0.5459	0.7064	0.8889	1.108	1.397	1.860	2.306	2.896	3.355	4.591	5.041
9	0.2610	0.5435	0.7027	0.8834	1.100	1.383	1.833	2.262	2.821	3.250	4.297	4.781
10	0.2602	0.5415	0.6998	0.8791	1.093	1.372	1.812	2.228	2.764	3.169	4.144	4.587
11	0.2596	0.5399	0.6974	0.8755	1.088	1.363	1.796	2.201	2.718	3.106	4.025	4.437
12	0.2590	0.5386	0.6955	0.8726	1.083	1.356	1.782	2.179	2.681	3.055	3.930	4.318
13	0.2586	0.5375	0.6938	0.8702	1.079	1.350	1.771	2.160	2.650	3.012	3.852	4.221
14	0.2582	0.5366	0.6924	0.8681	1.076	1.345	1.761	2.145	2.624	2.977	3.787	4.140
15	0.2579	0.5357	0.6912	0.8662	1.074	1.341	1.753	2.131	2.602	2.947	3.733	4.073
16	0.2576	0.5350	0.6901	0.8647	1.071	1.337	1.746	2.120	2.583	2.921	3.686	4.015
17	0.2573	0.5344	0.6892	0.8633	1.069	1.333	1.740	2.110	2.567	2.898	3.646	3.965
18	0.2571	0.5338	0.6884	0.8620	1.067	1.330	1.734	2.101	2.552	2.878	3.610	3.922
19	0.2569	0.5333	0.6876	0.8610	1.066	1.328	1.729	2.093	2.539	2.861	3.579	3.883
20	0.2567	0.5329	0.6870	0.8600	1.064	1.325	1.725	2.086	2.528	2.845	3.552	3.850
21	0.2566	0.5325	0.6864	0.8591	1.063	1.323	1.721	2.080	2.518	2.831	3.527	3.819
22	0.2564	0.5321	0.6858	0.8583	1.061	1.321	1.717	2.074	2.508	2.819	3.505	3.792
23	0.2563	0.5317	0.6853	0.8575	1.060	1.319	1.714	2.069	2.500	2.807	3.485	3.768
24	0.2562	0.5314	0.6848	0.8569	1.059	1.318	1.711	2.064	2.492	2.797	3.467	3.745
25	0.2561	0.5312	0.6844	0.8562	1.058	1.316	1.708	2.060	2.485	2.787	3.450	3.725
26	0.2560	0.5309	0.6840	0.8557	1.058	1.315	1.706	2.056	2.479	2.779	3.435	3.707
27	0.2559	0.5306	0.6837	0.8551	1.057	1.314	1.703	2.052	2.473	2.771	3.421	3.690
28	0.2558	0.5304	0.6834	0.8546	1.056	1.313	1.701	2.048	2.467	2.763	3.408	3.674
29	0.2557	0.5302	0.6830	0.8542	1.055	1.311	1.699	2.045	2.462	2.756	3.396	3.659
30	0.2556	0.5300	0.6828	0.8538	1.055	1.310	1.697	2.042	2.457	2.750	3.385	3.646
32	0.2555	0.5297	0.6822	0.8530	1.054	1.309	1.694	2.037	2.449	2.738	3.365	3.622
34	0.2553	0.5294	0.6818	0.8523	1.052	1.307	1.691	2.032	2.441	2.728	3.348	3.601
36	0.2552	0.5291	0.6814	0.8517	1.052	1.306	1.688	2.028	2.434	2.719	3.333	3.582
38	0.2551	0.5288	0.6810	0.8512	1.051	1.304	1.686	2.024	2.429	2.712	3.319	3.566
40	0.2550	0.5286	0.6807	0.8507	1.050	1.303	1.684	2.021	2.423	2.704	3.307	3.551
50	0.2547	0.5278	0.6794	0.8489	1.047	1.299	1.676	2.009	2.403	2.678	3.261	3.496
60	0.2545	0.5272	0.6786	0.8477	1.045	1.296	1.671	2.000	2.390	2.660	3.232	3.460
120	0.2539	0.5258	0.6765	0.8446	1.041	1.289	1.658	1.980	2.358	2.617	3.160	3.373
∞	0.2533	0.5244	0.6745	0.8416	1.036	1.282	1.645	1.960	2.326	2.576	3.090	3.291


PERCENTAGE POINTS OF THE F DISTRIBUTION

The table gives the values of $F_{\alpha; \nu_1, \nu_2}$ the 100 α percentage point of the F distribution having ν_1 degrees of freedom in the numerator and ν_2 degrees of freedom in the denominator.

For each pair of values of ν_1 and ν_2 , $F_{\alpha; \nu_1, \nu_2}$ is tabulated for $\alpha = 0.05, 0.025, 0.01, 0.001$, the 0.025 values being bracketed.

The lower percentage points of the distribution may be obtained from the relation:-

$$F_{1-\alpha; \nu_1, \nu_2} = 1/F_{\alpha; \nu_2, \nu_1}$$



e.g. $F_{.95; 12, 8} = 1/F_{.05; 8, 12} = 1/2.85 = 0.351$

$\nu_2 \backslash \nu_1$	1	2	3	4	5	6	7	8	10	12	24	∞
1	161.4 (648) 4052 4053*	199.5 (800) 5000 5000*	215.7 (864) 5403 5404*	224.6 (900) 5625 5625*	230.2 (922) 5764 5764*	234.0 (937) 5859 5859*	236.8 (948) 5928 5929*	238.9 (957) 5981 5981*	241.9 (969) 6056 6056*	243.9 (977) 6106 6107*	249.0 (997) 6235 6235*	254.3 (1018) 6366 6366*
2	18.5 (18.5) 98.5 998.5	19.0 (39.0) 99.0 999.0	19.2 (39.2) 99.2 999.2	19.2 (39.2) 99.2 999.2	19.3 (39.3) 99.3 999.3	19.3 (39.3) 99.3 999.3	19.4 (39.4) 99.4 999.4	19.4 (39.4) 99.4 999.4	19.4 (39.4) 99.4 999.4	19.4 (39.4) 99.4 999.4	19.5 (39.5) 99.5 999.5	19.5 (39.5) 99.5 999.5
3	10.13 (17.4) 34.1 167.0	9.55 (16.0) 30.8 148.5	9.28 (15.4) 29.5 141.1	9.12 (15.1) 28.7 137.1	9.01 (14.9) 28.2 134.6	8.94 (14.7) 27.9 132.8	8.89 (14.6) 27.7 131.5	8.85 (14.5) 27.5 130.6	8.79 (14.4) 27.2 129.2	8.74 (14.3) 27.1 128.3	8.64 (14.1) 26.6 125.9	8.53 (13.9) 26.1 123.5
4	7.71 (12.22) 21.2 74.14	6.94 (10.65) 18.0 61.25	6.59 (9.98) 16.7 56.18	6.39 (9.60) 16.0 53.44	6.26 (9.36) 15.5 51.71	6.16 (9.20) 15.2 50.53	6.09 (9.07) 15.0 49.66	6.04 (8.98) 14.8 49.00	5.96 (8.84) 14.5 48.05	5.91 (8.75) 14.4 47.41	5.77 (8.51) 13.9 45.77	5.63 (8.26) 13.5 44.05
5	6.61 (10.01) 16.26 47.18	5.79 (8.43) 13.27 37.12	5.41 (7.76) 12.06 33.20	5.19 (7.39) 11.39 31.09	5.05 (7.15) 10.97 29.75	4.95 (6.98) 10.67 28.83	4.88 (6.85) 10.46 28.16	4.82 (6.76) 10.29 27.65	4.74 (6.62) 10.05 26.92	4.68 (6.52) 9.89 26.42	4.53 (6.28) 9.47 25.14	4.36 (6.02) 9.02 23.79
6	5.99 (8.81) 13.74 35.51	5.14 (7.26) 10.92 27.00	4.76 (6.60) 9.78 23.70	4.53 (6.23) 9.15 21.92	4.39 (5.99) 8.75 20.80	4.28 (5.82) 8.47 20.03	4.21 (5.70) 8.26 19.46	4.15 (5.60) 8.10 19.03	4.06 (5.46) 7.87 18.41	4.00 (5.37) 7.72 17.99	3.84 (5.12) 7.31 16.90	3.67 (4.85) 6.88 15.75
7	5.59 (8.07) 12.25 29.25	4.74 (6.54) 9.55 21.69	4.35 (5.89) 8.45 18.77	4.12 (5.52) 7.85 17.20	3.97 (5.29) 7.46 16.21	3.87 (5.12) 7.19 15.52	3.79 (4.99) 6.99 15.02	3.73 (4.90) 6.84 14.63	3.64 (4.76) 6.62 14.08	3.57 (4.67) 6.47 13.71	3.41 (4.42) 6.07 12.73	3.23 (4.14) 5.65 11.70
8	5.32 (7.57) 11.26 25.42	4.46 (6.06) 8.65 18.49	4.07 (5.42) 7.59 15.83	3.84 (5.05) 7.01 14.39	3.69 (4.82) 6.63 13.48	3.58 (4.65) 6.37 12.86	3.50 (4.53) 6.18 12.40	3.44 (4.43) 6.03 12.05	3.35 (4.30) 5.81 11.54	3.28 (4.20) 5.67 11.19	3.12 (3.95) 5.28 10.30	2.93 (3.67) 4.86 9.34
9	5.12 (7.21) 10.56 22.86	4.26 (5.71) 8.02 16.39	3.86 (5.08) 6.99 13.90	3.63 (4.72) 6.42 12.56	3.48 (4.48) 6.06 11.71	3.37 (4.32) 5.80 11.13	3.29 (4.20) 5.61 10.69	3.23 (4.10) 5.47 10.37	3.14 (3.96) 5.26 9.87	3.07 (3.87) 5.11 9.57	2.90 (3.61) 4.73 8.72	2.71 (3.33) 4.31 7.61
10	4.96 (6.94) 10.04 21.04	4.10 (5.46) 7.56 14.91	3.71 (4.83) 6.55 12.55	3.48 (4.47) 5.99 11.28	3.33 (4.24) 5.64 10.48	3.22 (4.07) 5.39 9.93	3.14 (3.95) 5.20 9.52	3.07 (3.85) 5.06 9.20	2.98 (3.72) 4.85 8.74	2.91 (3.62) 4.71 8.44	2.74 (3.37) 4.33 7.64	2.54 (3.08) 3.91 6.76
11	4.84 (6.72) 9.65 19.69	3.98 (5.26) 7.21 13.81	3.59 (4.63) 6.22 11.56	3.36 (4.28) 5.67 10.35	3.20 (4.04) 5.32 9.58	3.09 (3.88) 5.07 9.05	3.01 (3.76) 4.89 8.66	2.95 (3.66) 4.74 8.35	2.85 (3.53) 4.54 7.92	2.79 (3.43) 4.40 7.63	2.61 (3.17) 4.02 6.85	2.40 (2.88) 3.60 6.00
12	4.75 (6.55) 9.33 18.64	3.89 (5.10) 6.83 12.97	3.49 (4.47) 5.95 10.80	3.26 (4.12) 5.41 9.63	3.11 (3.89) 5.06 8.89	3.00 (3.73) 4.82 8.38	2.91 (3.61) 4.64 8.00	2.85 (3.51) 4.50 7.71	2.75 (3.37) 4.30 7.29	2.69 (3.28) 4.16 7.00	2.51 (3.02) 3.78 6.25	2.30 (2.72) 3.36 5.42
13	4.67 (6.41) 9.07 17.82	3.81 (4.97) 6.70 12.31	3.41 (4.35) 5.74 10.21	3.18 (4.00) 5.21 9.07	3.03 (3.77) 4.86 8.35	2.92 (3.60) 4.62 7.86	2.83 (3.48) 4.44 7.49	2.77 (3.39) 4.30 7.21	2.67 (3.25) 4.10 6.80	2.60 (3.15) 3.96 6.52	2.42 (2.89) 3.59 5.76	2.21 (2.60) 3.17 4.97

* Entries marked thus must be multiplied by 100

1	2	3	4	5	6	7	8	10	12	24	∞	
14	4.60 (6.30) 8.86 17.14	3.74 (4.86) 6.51 11.78	3.34 (4.24) 5.56 9.73	3.11 (3.89) 5.04 8.62	2.96 (3.66) 4.70 7.92	2.85 (3.50) 4.46 7.44	2.76 (3.38) 4.28 7.08	2.70 (3.29) 4.14 6.80	2.60 (3.15) 3.94 6.40	2.53 (3.05) 3.80 6.13	2.35 (2.79) 3.43 5.41	2.13 (2.49) 3.00 4.60
16	4.49 (6.12) 8.53 16.12	3.63 (4.69) 6.23 10.97	3.24 (4.08) 5.29 9.01	3.01 (3.73) 4.77 7.94	2.85 (3.50) 4.44 7.27	2.74 (3.34) 4.20 6.80	2.66 (3.22) 4.03 6.46	2.59 (3.12) 3.89 6.19	2.49 (2.99) 3.69 5.81	2.42 (2.89) 3.55 5.55	2.24 (2.63) 3.18 4.85	2.01 (2.32) 2.75 4.06
18	4.41 (5.98) 8.29 15.38	3.55 (4.56) 6.01 10.39	3.16 (3.95) 5.09 8.49	2.93 (3.61) 4.58 7.46	2.77 (3.38) 4.25 6.81	2.66 (3.22) 4.01 6.35	2.58 (3.10) 3.84 6.02	2.51 (3.01) 3.71 5.76	2.41 (2.87) 3.51 5.39	2.34 (2.77) 3.37 5.13	2.15 (2.50) 3.00 4.45	1.92 (2.19) 2.57 3.67
20	4.35 (5.87) 8.10 14.82	3.49 (4.46) 5.85 9.95	3.10 (3.86) 4.94 8.10	2.87 (3.51) 4.43 7.10	2.71 (3.29) 4.10 6.46	2.60 (3.13) 3.87 6.02	2.51 (3.01) 3.70 5.69	2.45 (2.91) 3.56 5.44	2.35 (2.77) 3.37 5.08	2.28 (2.68) 3.23 4.82	2.08 (2.41) 2.86 4.15	1.84 (2.09) 2.42 3.38
22	4.30 (5.79) 7.95 14.38	3.44 (4.38) 5.72 9.61	3.05 (3.78) 4.82 7.80	2.82 (3.44) 4.31 6.81	2.66 (3.22) 3.99 6.19	2.55 (3.05) 3.76 5.76	2.46 (2.93) 3.59 5.44	2.40 (2.84) 3.45 5.19	2.30 (2.70) 3.26 4.83	2.23 (2.60) 3.12 4.58	2.03 (2.33) 2.75 3.92	1.78 (2.00) 2.31 3.15
24	4.26 (5.72) 7.82 14.03	3.40 (4.32) 5.61 9.34	3.01 (3.72) 4.72 7.55	2.78 (3.38) 4.22 6.59	2.62 (3.15) 3.90 5.98	2.51 (2.99) 3.67 5.55	2.42 (2.87) 3.50 5.23	2.36 (2.78) 3.36 4.99	2.25 (2.64) 3.17 4.64	2.18 (2.54) 3.03 4.39	1.98 (2.27) 2.66 3.74	1.73 (1.94) 2.21 2.97
26	4.23 (5.66) 7.72 13.74	3.37 (4.27) 5.53 9.12	2.98 (3.67) 4.64 7.36	2.74 (3.33) 4.14 6.41	2.59 (3.10) 3.82 5.80	2.47 (2.94) 3.59 5.38	2.39 (2.82) 3.42 5.07	2.32 (2.73) 3.29 4.83	2.22 (2.59) 3.09 4.48	2.15 (2.49) 2.96 4.24	1.95 (2.22) 2.58 3.59	1.69 (1.88) 2.13 2.82
28	4.20 (5.61) 7.64 13.50	3.34 (4.22) 5.45 8.93	2.95 (3.63) 4.57 7.19	2.71 (3.29) 4.07 6.25	2.56 (3.06) 3.75 5.66	2.45 (2.90) 3.53 5.24	2.36 (2.78) 3.36 4.93	2.29 (2.69) 3.23 4.69	2.19 (2.55) 3.03 4.35	2.12 (2.45) 2.90 4.11	1.91 (2.17) 2.52 3.46	1.65 (1.83) 2.06 2.69
30	4.17 (5.57) 7.56 13.29	3.32 (4.18) 5.39 8.77	2.92 (3.59) 4.51 7.05	2.69 (3.25) 4.02 6.12	2.53 (3.03) 3.70 5.53	2.42 (2.87) 3.47 5.12	2.33 (2.75) 3.30 4.82	2.27 (2.65) 3.17 4.58	2.16 (2.51) 2.98 4.24	2.09 (2.41) 2.84 4.00	1.89 (2.14) 2.47 3.36	1.62 (1.79) 2.01 2.59
40	4.08 (5.42) 7.31 12.61	3.23 (4.05) 5.18 8.25	2.84 (3.46) 4.31 6.59	2.61 (3.13) 3.83 5.70	2.45 (2.90) 3.51 5.13	2.34 (2.74) 3.29 4.73	2.25 (2.62) 3.12 4.44	2.18 (2.53) 2.99 4.21	2.08 (2.39) 2.80 3.87	2.00 (2.29) 2.66 3.64	1.79 (2.01) 2.29 3.01	1.51 (1.64) 1.80 2.23
60	4.00 (5.29) 7.08 11.97	3.15 (3.93) 4.98 7.77	2.76 (3.34) 4.13 6.17	2.53 (3.01) 3.65 5.31	2.37 (2.79) 3.34 4.76	2.25 (2.63) 3.12 4.37	2.17 (2.51) 2.95 4.09	2.10 (2.41) 2.82 3.86	1.99 (2.27) 2.63 3.54	1.92 (2.17) 2.50 3.32	1.70 (1.88) 2.12 2.69	1.39 (1.48) 1.60 1.69
120	3.92 (5.15) 6.85 11.38	3.07 (3.80) 4.79 7.32	2.68 (3.23) 3.95 5.78	2.45 (2.89) 3.48 4.95	2.29 (2.67) 3.17 4.42	2.18 (2.52) 2.96 4.04	2.09 (2.39) 2.79 3.77	2.02 (2.30) 2.66 3.55	1.91 (2.16) 2.47 3.24	1.83 (2.05) 2.34 3.02	1.61 (1.76) 1.95 2.40	1.25 (1.31) 1.38 1.54
∞	3.84 (5.02) 6.63 10.83	3.00 (3.69) 4.61 6.91	2.60 (3.12) 3.78 5.42	2.37 (2.79) 3.32 4.62	2.21 (2.57) 3.02 4.10	2.10 (2.41) 2.80 3.74	2.01 (2.29) 2.64 3.47	1.94 (2.19) 2.51 3.27	1.83 (2.05) 2.32 2.96	1.75 (1.94) 2.18 2.74	1.52 (1.64) 1.79 2.13	1.00 (1.00) 1.00 1.00

